

Product Range

2020/2




This is Onspot!


The Onspot system is basically a simple and very reliable concept. It is a wheel fitted with several chains that is lowered and held towards the driving wheels. When the chain wheel rotates the chains are placed under the driving wheels to increase traction.

Onspot is engaged only when needed – up to 50km/h (35mph) without having to stop the vehicle. It works whether you are accelerating, braking or in a loss of traction situation. When engaged traction is obtained in forward or reverse.

Onspot is conveniently engaged and disengaged by pressing a button on the dashboard. It is a trouble-free and ever-present solution for avoiding delays due to slippery road conditions.



Operation



Resting position

Working position

A complete Onspot consists of:

Vehicle bracket kit

The bracket has a high-quality corrosion resistance through electrolytic pre-treatment. Depending on your vehicle there are differences. The Onspot kit will be supplied with the correct brackets and arms for your specific vehicle.



Cylinder kit



Valve kit

Onspot kit

The Onspot kit contains of two cylinders and one Valve kit. The correct kit for your vehicle is included in the Onspot kit, ready to plug in.



Vehicle bracket kit



Switch

Switch kit

A complete switch kit that correspond to the design of the other switches in your vehicle.

Wheel kit

A chain wheel kit is included in the Onspot kit. There are different spare wheels available which differ by number of chain strands or steel quality.



6 chains

6 chains
sparkle resistant

12 chains

18 chains

Specification

| | |
|----------------------|---|
| Operating speed | 2–50 km/h |
| Activation speed | Max 50 km/h |
| Power supply | 12V/24V, 8 A fuse |
| Pressure requirement | 7–10 bar |
| Weight Onspot 016 | 10,2 kg/side excl. vehicle bracket |
| Chains | 6, 12 or 18 chains and 6 chains sparkle resistant |

Choose your Onspot

At the homepage you will always find the newest models and configurations.

The screenshot shows the Onspot configurator interface. At the top, there is a navigation bar with the Onspot logo and links for 'WHY ONSPOT', 'KNOWLEDGE', 'THE PRODUCT', 'CONFIGURATOR', 'ABOUT US', 'BLOG', and 'FIND US'. On the right side of the navigation bar, there are icons for 'EN - International' and 'CONTACT US'.

The main heading is 'Choose your Onspot'. Below this is a configuration table with the following rows:

| | | |
|----------------------|----------------|--------|
| Vehicle brand | DENNIS EAGLE | CHANGE |
| Vehicle model | Elite 2 | CHANGE |
| Axle configuration | 6x2 | CHANGE |
| Rear axle suspension | Air suspension | CHANGE |
| Wheel configuration | Double Wheel | CHANGE |
| Tyre dimension | 12/80 R22,5 | CHANGE |

Below the table is a 'RESET ALL SELECTIONS' button.

The 'Wheel kit' section shows two options:

- 12-chains 56-236506
- 18-chains 56-236509

On the right side, there are additional details:

- Bracket kit:** 56-253800
- Onspot kit:** 56-700500
- Switch kit:** 56-241012
- Installation Instructions:** Item numbers for vehicle bracket spare parts can be found at the end of the installation instructions.
- A download icon for 'Installation Instructions 56-253800'.
- Two buttons: 'Send to Onspot' and 'Send to myself'.

Please, visit www.onspot.com and choose [Configurator](#).

From here you can e-mail the configuration to yourself or to Onspot for further requests

Onspot fits the following vehicles:

| | | | | | |
|---------------------|-----------|-------------------------|-----------|---------------------------------|-----------|
| DAF | 5 | TGS | 24 | SETRA | 42 |
| CF Euro 6 | 6 | TGX | 26 | TERBERG | 43 |
| LF Euro 6 | 6 | MERCEDES-BENZ | 28 | UD TRUCKS | 44 |
| XF Euro 6 | 7 | Actros New | 28 | Quon | 44 |
| CF55 | 7 | Actros | 28 | VAN HOOL | 45 |
| 65CF | 7 | Antos | 29 | Altano | 45 |
| CF65 | 7 | Arocs | 29 | VDL | 46 |
| 75CF | 8 | Atego | 29 | Futura | 46 |
| CF75 | 8 | Axor 4x2, 6x2 | 29 | VOLVO | 47 |
| 85CF | 8 | Atego S | 29 | FL | 48 |
| CF85 | 8 | Econic Bluetec 6 | 30 | FL6 | 48 |
| LF45 | 8 | Econic | 30 | FE | 48 |
| 95XF | 8 | Sprinter | 30 | FH, FM, FMX | 48 |
| XF95, XF105 | 9 | Unimog | 30 | Buses | 49 |
| DENNIS EAGLE | 10 | MITSUBISHI FUSO | 31 | VW | 50 |
| Elite 2 | 10 | Super Great | 31 | Crafter | 50 |
| FORD | 11 | NEOPLAN | 32 | Table of tyre dimensions | 51 |
| Transit | 11 | Euroliner | 32 | Onspot | 52 |
| HINO | 12 | NISSAN | 33 | Onspot 016 | 52 |
| Profia | 12 | Atleon | 33 | Onspot 012 | 53 |
| S'elega | 12 | BIG Thumb | 33 | Arms | 54 |
| ISUZU | 13 | NV 400 | 33 | Electrical and air | 56 |
| Giga | 13 | OPEL | 34 | Switches | 57 |
| Giga (Rigid) | 13 | Movano | 34 | Wheels | 58 |
| Gigamax | 13 | RENAULT | 35 | Cylinders | 59 |
| IVECO | 14 | Range -C | 35 | Cylinder brackets | 60 |
| Crossway | 14 | Range -K | 35 | Arms | 61 |
| Daily | 14 | Range -D | 35 | Arms with bearing cups | 61 |
| Eurocargo | 15 | Range -T | 36 | Electrical and air kit | 62 |
| Eurostar | 15 | Mascott DXI 160 | 36 | Compressor | 63 |
| Eurotech | 15 | Master | 36 | air compressor kit 12V | 63 |
| Stralis | 16 | Midlum DXI | 36 | Accessories | 64 |
| Trakker | 16 | Midlum | 36 | | |
| MAFI | 17 | Premium, Magnum DXI | 36 | | |
| MAN | 18 | Premium DXI | 37 | | |
| E2000 | 18 | Premium, Magnum | 37 | | |
| F2000 | 19 | Kerax DXI | 37 | | |
| L2000 | 19 | Master | 37 | | |
| M2000L | 19 | ROSETO | 38 | | |
| M2000M | 20 | Iveco chassis | 38 | | |
| TGA | 20 | SCANIA | 39 | | |
| TGE | 22 | P, G, R, T, L, S-series | 39 | | |
| TGL | 22 | 4-series | 40 | | |
| TGL Euro 6 | 22 | Buses | 41 | | |
| TGM | 22 | | | | |
| TGM Euro 6 | 23 | | | | |

Note! Older models, not included in this list can also be equipped with Onspot.

How to read the vehicle specification:

45LF _____ Vehicle model

4x2 _____ Axle configuration

45 130, 45 150, 45 160, 45 180, 45 180 – Vehicle type

Plate suspension _____ Rear axle suspension

Key to the list for DAF

In the list there are two basic types: 4x2 and 6x2.
 Other types same as 4x2 are: FA, FT, FAG, FTG, FAB, FAV.
 Same as 6x2 are: FAS, FAR, FAC, FTR, FTS.

Wheel kit 170


| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190


| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Rigid chassis

 = Driving axle



Tractor chassis



CF Euro 6

FA

Plate suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 Applies up to and including year
 model 2016

FA

Plate suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 From year model 2017.

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 Applies up to and including year
 model 2016

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 From year model 2017.

FA, FT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • *FA: 4x2 rigid*
 • *FT: 4x2 tractor*
 Applies up to and including year
 model 2016.

FA, FT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • *FA: 4x2 rigid*
 • *FT: 4x2 tractor*
 From year model 2017.

FAT, FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 Applies up to and including year
 model 2016.

FAT, FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 From year model 2017.

FAN, FAQ, FTS

Vehicle bracket kit: 56-260000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70 22.5" or larger.
 FAN: 6x2 steered trailing axle
 FAQ: 8x2 tridem, second rear axle
 driven
 • *FTS: 6x2 fixed trailing axle*

LF Euro 6

FA

Air suspension 14-16 ton

Vehicle bracket kit: 56-704800
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 285/70 R19.5" or larger.

FA

Plate suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.



XF Euro 6**FA**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261500 |
| Switch kit: | 56-241022 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
315/60 22.5" or larger.

• *FA: 4x2 rigid*

Applies up to year model 2016.

FA

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261500 |
| Switch kit: | 56-727500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
315/60 22.5" or larger.

• *FA: 4x2 rigid*

From year model 2017.

FAN, FAQ, FTS

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-260000 |
| Switch kit: | 56-241022 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70 22.5" or larger.

FAN: 6x2 steered trailing axle

FAQ: 8x2 tridem, second rear axle
driven

• *FTS: 6x2 fixed trailing axle*

Applies up to year model 2016.

FAN, FAQ, FTS

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-260000 |
| Switch kit: | 56-727500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70 22.5" or larger.

FAN: 6x2 steered trailing axle

FAQ: 8x2 tridem, second rear axle
driven

• *FTS: 6x2 fixed trailing axle*

From year model 2017.

FTT

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261500 |
| Switch kit: | 56-241022 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
315/60 22.5" or larger.

Applies up to year model 2016.

FTT

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261500 |
| Switch kit: | 56-727500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

From year model 2017.

FT

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-734800 |
| Switch kit: | 56-241022 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

Applies up to year model 2016.

FT

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-734800 |
| Switch kit: | 56-727500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

• *FT: 4x2 tractor*

From year model 2017.

CF55**4x2**

**55.150, 55.160, 55.180, 55.210,
55.230**

Air suspension

4 bellows, 18 tonnes and heavier

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229702 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

4x2

**55.150, 55.160, 55.180, 55.210,
55.230**

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-236700 |
| Switch kit: | 56-241008 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension

215/75 17.5" or larger.

65CF**4x2**

65.180, 65.210, 65.240

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229901 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

295/80 22.5" or larger.

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229901 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

295/80 22.5" or larger.

CF65**4x2**

65.180, 65.210, 65.240

Air suspension**Disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229702 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Air suspension**Disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-229702 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension

315/60 22.5" or larger.

75CF

4x2

75.250, 75.290, 75.320

Plate suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Plate suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

CF75

4x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

85CF

4x2

85.340, 85.380, 85.430

Plate suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Plate suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

CF85

4x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

LF45

4x2

45 130, 45 150, 45 160, 45 180, 45 210

Plate suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 215/75 17.5" or larger.

Air suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 215/75 17.5" or larger.

95XF

4x2

Air suspension

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.



XF95, XF105**4x2**

**95.380, 95.430, 95.480,
95.530**

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/60 22.5" or larger.

6x2

**95.380, 95.430, 95.480,
95.530,**

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/60 22.5" or larger.

- *It may be necessary to move the air tank when installing on an XF105 trailer truck, 56-246700.*

How to read the vehicle specification:

Elite 2 _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Elite 2

4x2, 6x2

Air suspension

Vehicle bracket kit: 56-253800
 Switch kit: 56-241012
 Onspot kit: 56-700500
 Wheel kit : 170

Fits vehicles with tyre dimension
 315/70 R22.5" or larger.

- 12 or 18-chain wheels should be used.
- Twin wheel



How to read the vehicle specification:

Transit _____ Vehicle model
Plate suspension _____ Rear axle suspension

Wheel kit 170
 6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190
 6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

Transit

Plate suspension

Vehicle bracket kit: 56-703200
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 185/75 R 16 or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*
- *A re-arrangement of the exhaust pipe can be necessary.*



How to read the vehicle specification:

Profia _____ Vehicle model
4x2 _____ Axle configuration
Plate suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

Profia

Tractor 4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-238400
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 275/70-22,5" or larger.

- *Cannot be fitted on 6x2 with running axle behind the drive axle.*
- *12-chain wheels should be used.*
- *From year model 2004.*

Rigid

Air suspension, 4 bellows

Vehicle bracket kit: 56-718500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 275/70-22,5" or larger.

Rigid

Plate suspension, 4 bellows

Vehicle bracket kit: 56-728500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 275/70-22,5" or larger.

S'elega

4x2

Air suspension

Vehicle bracket kit: 56-723001
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 11R 22,5" or larger.



How to read the vehicle specification:

Gigamax _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Giga

4x2,

Air suspension

Vehicle bracket kit: 56-255500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 11R 22,5" or larger.

Giga (Rigid)

6x2,

Plate suspension

Vehicle bracket kit: 56-735500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 11R 22,5" or larger.

Gigamax

4x2, 6x2, 6x4

Air suspension, 4 bellows

Applies from year model 2003

Vehicle bracket kit: 56-238605
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 275/70-22,5" or larger.



How to read the vehicle specification:

Eurocargo 4x2, 4x4

60 E 10-14

65 E 10-14

75 E 12-15

80 E 15-21

Plate suspension

450617

M 22x1,5

Vehicle model,
Axle configuration

Vehicle type

Rear axle suspension

Rear axle type

Clamp thread

Key to the list for IVECO

| | |
|----|-----------------|
| P | Air suspension |
| T | Tractor |
| W | All wheel drive |
| MT | Middle Class |
| MP | Heavy Class |
| LD | Eurostar |
| S | Stralis |

* Alternatively part no air kit 56-196002.

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Crossway

4x2, 6x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-265700 |
| Switch kit | 56-241012 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension

275/70 R22,5" or larger.

Daily

29 L, 35 S

Plate suspension M16x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247200 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
215/60 R16" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

29 L, 35 S

Plate suspension M14x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-264300 |
| Switch kit | 56-241012 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
225/70 R15" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

65C

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-254000 |
| Switch kit | 56-241012 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

65C

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259800 |
| Switch kit | 56-241012 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

70C

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259800 |
| Switch kit | 56-241012 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-254000 |
| Switch kit | 56-241012 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

Eurocargo 4x2

**60 E xx, 65 E xx, 75 E xx,
80 E xx, 80 EL xx, 90 E xx,
100 E xx, 120 E xx**

Air suspension, 2 bellows

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-253200 |
| Switch kit | 56-241002 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *Applies up to and including year model year 2007*

**75 E xx, 80 E xx, 90 E xx,
100 E xx**

Air suspension, 2 bellows

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-253200 |
| Switch kit | 56-241018 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *From model year 2008*

120 E xx**Air suspension, 2 bellows****11/41 23N07, M22x1,5****Disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-240800 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 265/70- 19,5" till 315/70- 22,5".

Wheel kit: 190

Fits vehicles with tyre dimension 10-22,5" or larger.

150 E xx**Plate suspension****R 167****M22x1.5****Drum brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-237200 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70- 22,5" or larger.

150 E xx, 130 E xx**Plate suspension****R 167****M22x1.5****Disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-239400 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 295/60- R22,5" or larger.

150 E xx, 130 E xx**Plate suspension****R 167****M22x1.5****Disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-240800 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 275/70- 19,5" to 305/70- R19,5"

Eurocargo 4x4

140 E xx W**Plate suspension****Single wheel****42117806****M 22x1,5**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-238100 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 295/80- R22,5" or larger.

140 E xx W**Plate suspension****451146/1****M 22x1,5**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-236900 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 22,5" or larger.

Eurostar 4x2, 4x4

LD 190 E xx, LD 440 E xx**Air suspension****U1177E**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-228701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 315/60- 22 ,5" or larger.

Eurostar 6x2

LD 260 E xx, LD 440 E xx**Air suspension****U1177E**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-228701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 315/60- 22,5" or larger.

Eurotech 4x2

MT 180 Exx, MT 400 Exx**Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-228701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 315/60- 22,5" or larger.

MP, MH 190 E xx**MP, MH 440 E xx****Air suspension****U1177E**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-228701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 315/60- 22 ,5" or larger.



Eurotech 6x2

MP, MH 260 E xx

MP 440 E xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis 4x2, 4x4

AS 190 S xx, AS 440 S xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis 6x2

AS 260 S xx, AS 440 S xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger

Stralis Euro 6

4x2, 4x4, 6x2

Air suspension

Vehicle bracket kit: 56-715300
Switch kit: 56-241018
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.



Trakker 4x4

MP 190 E xx

Air suspension

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

How to read the vehicle specification:

MAFI _____ Vehicle model
R332, R336' _____ Vehicle type
Air suspension _____ Rear axle suspension
Kessler D81 PL478 _____ Rear axle type

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

MAFI

R332, R336

Air suspension

Kessler D81, PL478

Vehicle bracket kit: 56-709400

Onspot kit: 56-700500

Switch kit: 56-241023

Wheel kit: 170

Fits vehicles with tyre dimension 12 R 22,5" or larger.

How to read the vehicle specification:

| | |
|---|---|
| L2000 _____ | Vehicle model |
| L20, L24 _____ | Vehicle type |
| | The type no. is position 4-6 in the chassis no. |
| 4x2 _____ | Axle configuration |
| Plate suspension _____ | Rear axle suspension |
| 8.xxx L, 9.xxx L, 10.xxx L _____ | Vehicle designation |
| HY-0645, HY-0720, HY-0745 _____ | Rear axle |
| Clamp Ø 18x2 _____ | Clamp thread |

Key to the list for MAN

| | |
|--------|--|
| A | All wheel drive (4x4, 6x6) |
| DF/FD | Three axles (6x4) |
| E | Rear single wheels |
| F | Front built (4x2) |
| K | Kipper |
| L | Air suspension rear |
| LL | Compl. Air suspension |
| N | Support axle behind driv. axle (6x2) |
| S | Tractor |
| V | Steering axle in front of driving axle (6x2/4) |
| FFD/VF | Four axles (8x4) |

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

E2000

E42

6x2/4

Air suspension

26.xxx FVLC

AP H9-13120

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E50, E60

6x6/4, 6x2/4

Air suspension

30.xxx FANLC, 33.xxx DFALC,

AP H9-13120, AP HD9-13120

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E51, E61

4x2

Air suspension

19.xxx FLS/M

AP H9-13120

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E52, E62

4x4

Air suspension

19.xxx FALS

AP H9-13120

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E53, E63

6x2-4, 6x4-4

Air suspension

26.xxx FNLC

AP H9-13120, HY-13110

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E55, E65

8x4/4, 8x2/4

Air suspension

32.xxx FVNLC

AP H9-13120, AP HD9-13120,

AP H-1175, AP HDY-1175,

AP H9-1380, HY-1175

| | |
|---|-----------|
| Vehicle bracket kit: | 56-226301 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-R 22,5" or larger. | |

E56, E66, E47, E67**6x4/4, 6x6-4, 6x4-4****Air suspension****26.xxx FAVLC, 28.xxx FNALC,****28.xxx FANLC,****AP H9-13120, HY-13110**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E59, E69**6x4/2, 6x2/2****Air suspension****33.xxx DFLS, 30.xxx FNLC,****AP H9-13120, AP HD9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E73**8x2/4****Air suspension****35.xxx FVNLC****AP H9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E75, E95**8x4/4****Air suspension****41.xxx DFVLS****AP H9-13120, AP HD9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

F2000**T02, T32, T03, T33, T62****4x2****Air suspension****19.xxx FL, 19.xxx FLL, 19.xxx FLS****HY-13110, APH9-13120, APH9-****16120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T05, T35, T06, T36, T07, T37**6x2****Air suspension****23.xxx FNLL, 26.xxx FNL****HY-13110, APH9-13120, APH9-****16120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T08, T38**6x2/4****Air suspension****26.xxx FVL****HY-13110, APH9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T10, T40, T70**6x2/4****Air suspension****26.xxx DFL****HY-13110, APH9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

**L2000****L34, L36****4x2, 6-cyl motor****Air suspension****8.xxx LL, 9.xxx LL, 10.xxx LL,****HY-0855****Stabilizer in front of the rear axle.**

Vehicle bracket kit: 56-234601

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

205/75-R 17,5" or larger.

M2000L**L88, L89****4x2****Air suspension****18.xxx LL, 18.xxx LLL****HY-1175**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 22,5" or larger.

M2000M

M39, M40

4x2

Air suspension

18.xxx ML, 18.xxx MLL

HY-1175

Vehicle bracket kit: 56- 226301

Switch kit: 56-241013

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

M42, M43, M44

6x2

Air suspension

25.xxx MNL, 25.xxx MNLL,

25.xxx MVL

HY-1175

Vehicle bracket kit: 56- 226301

Switch kit: 56-241013

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

TGA

H01, H08

4x2/2

Air suspension

18.xxx FLS-TS

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H02, H03

4x2/2

Plate suspension

18.xxx F

AP H9 1352, HY-1350

Vehicle bracket kit: 56-238300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H05, H06

4x2/2

Air suspension

18.xxx FL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H09, H10

4x2/2

Air suspension

18.xxx FLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H16

6x2/2, 6x2/4

Air suspension. Note! Low-built vehicles with distance between air suspension beam and driveshaft don't fit!

26.xxx BLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H17, H18

6x2/2, 6x2/4

Air suspension

26.xxx FNL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H19, H20, H21

6x2/2, 6x2-4

Air suspension

26.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H23, H24

6x2/4

Air suspension

26.xxx FVL, 26.xxx FPL

HY-1350, APH9-13120

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger



H25, H26**6x4x/2****Plate suspension****26.xxx FD, 33.xxx FD****HYD 1370, HPD 1382****APH9-13120, HPD 1353**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H29, H30**6x4x/2****Air suspension****26.xxx FDL, 33.xxx FDL****HYD 1370, APH9-13120****HPD 1353, HPD 1382**

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H36, H37, H38, H39**8x4x/4****Plate suspension****32.xxx FFD, 35.xxx FFD, 41.xxx FFD****HYD 1370, APH9-13120****APH9-16120, HPD 1382**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H40, H41**8x4x/4****Plate suspension****32.xxx FFDL, 35.xxx FFDL****HYD 1370, HPD 1382**

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H48, H49**8x4x/4****Plate suspension****32.xxx FFD****HYD 1370, HPD 1353, APH9-13120**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H51, H52**4x4/2****Plate suspension****18.xxx FA****APH9 1352, HY 1350**

Vehicle bracket kit: 56-238300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H55, H56**6x6/2****Plate suspension****26.xxx FDA****HPD 1382, HD9 13120**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H70**4x4****Air suspension****18.xxx FAL****HP 1352**

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H72, H82**6x6/2****Air suspension****26.xxx FDAL, 33.xxx FDAL****HPD 1382**

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H73, H92**8x6/4****Plate suspension****35.xxx FFDA****HPD 1382, HPD 1372 E**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H76, H96**8x8/4****Plate suspension****35.xxx FFDA****HPD 1382, HPD 1372 E**

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H85, H86, H87, H89**6x2/2****Air suspension****28.xxx FNL, 28.xxx FNLL****HY-1350**

Vehicle bracket kit: 56-239003

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension to

10-22,5" or larger.

H88, H90**8x2/4****Air suspension****32.xxx FFNL,****HY-1350**

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger.

H94, H95**8x4/4****Air suspension****41.xxx FVDLS****HPD 1382, HPD 1682**

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

TGE

Plate suspension

Twin wheel

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-719500 |
| Switch kit | 56-241012 |
| Air compressor kit | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 205/75 R16" or larger.

- 12 or 18-chain wheels should be used.

Plate suspension

Single wheel

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-717500 |
| Switch kit | 56-241012 |
| Air compressor kit | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 205/75 R16" or larger.

- 12 or 18-chain wheels should be used.

TGL

N03

4x2

Plate suspension

8.xxx BB

HY-0718

Clamp Ø 16x1.5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247400 |
| Switch kit | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 225/75 R 17,5" or larger.

N04

4x2

Plate suspension

10.xxx - 12.xxx

HY-0925

Clamp Ø 16x1.5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247400 |
| Switch kit | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 225/75 R 17,5" or larger.

N13

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257700 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

N14

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257700 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

N15

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257700 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

TGL Euro 6

N03

4x2

Plate suspension

8.xxx BB

HY-0718

Clamp Ø 16x1.5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247400 |
| Switch kit | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 225/75 R 17,5" or larger.

N04

4x2

Plate suspension

10.xxx - 12.xxx

HY-0925

Clamp Ø 16x1.5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247400 |
| Switch kit | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 225/75 R 17,5" or larger.

N13

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

N14

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

N15

4x2

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-257701 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 235/75 R17, 5" or larger.

TGM

N08

4x2

Plate suspension

18.xxx BB

HY-1133

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-243900 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/70 -22,5" or larger.

N16

4x2

Air suspension

15.xxx BL

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259101 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 285/70 R 19,5" or larger.

- 12 or 18-chain wheels should be used.

N18**Air suspension, 4 bellows
18.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 19,5" or larger.

N26**4x2
Air suspension
15.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259101 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 285/70 R 19,5" or larger.
• 12 or 18-chain wheels should be used.

N28**Air suspension, 4 bellows
18.xxx LL
HY-1133**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 22,5" or larger.

N34**4x4
Air suspension, 4 bellows
13.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 275/70 R 22,5" or larger.

N36**4x4
Air suspension
13.xxx LL
APHP 0928**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247800 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 275/70 R 22,5" or larger.
• *Twin wheel*

N36**4x4
Air suspension
13.xxx BL
APHP 0728**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-251300 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 365/80 -20" or larger.
• *Singel wheel*

N38**4x4
Plate suspension
18.xxx
HY-1333**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-248200 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 295/80 R 22,5" or larger.

N44**Air suspension, 4 bellows
26.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 19,5" or larger.

N46**Air suspension, 4 bellows
26.xxx LL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241003 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 19,5" or larger.

**TGM Euro 6****N08****4x2
Plate suspension
18.xxx BB
HY-1133**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-243901 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/70 -22,5" or larger.

N16**4x2
Air suspension
15.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259102 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 285/70 R 19,5" or larger.
• 12 or 18-chain wheels should be used.

N18**Air suspension, 4 bellows
18.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 19,5" or larger.

N26**4x2
Air suspension
15.xxx BL**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259102 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 285/70 R 19,5" or larger.
• 12 or 18-chain wheels should be used.

N28**Air suspension, 4 bellows
18.xxx LL
HY-1133**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-246100 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/70 R 22,5" or larger.

N34

4x4

Air suspension, 4 bellows
13.xxx BL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

N36

4x4

Air suspension
13.xxx LL
APHP 0928

Vehicle bracket kit: 56-247800
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
275/70 R 22,5" or larger.
• *Twin wheel*

N36

4x4

Air suspension
13.xxx BL
APHP 0728

Vehicle bracket kit: 56-251300
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
365/80 -20" or larger.
• *Singel wheel*

N38

4x4

Plate suspension
18.xxx
HY-1333

Vehicle bracket kit: 56-248200
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

N44

Air suspension, 4 bellows
26.xxx BL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N46

Air suspension, 4 bellows
26.xxx LL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

TGS

03S

4x2

Plate suspension
18.xxx BB
AP HP 1352, HY-1350

Vehicle bracket kit: 56-238303
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

06S

4x2

Air suspension, 4 bellows
18.xxx BL
HY-1350

Vehicle bracket kit: 56-233904
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".
Vehicle bracket kit: 56-230702
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.



08S

4x2

Air suspension, 4 bellows
18.xxx BL-TS
HY-1350

Vehicle bracket kit: 56-233904
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.

10S

4x2

Air suspension, 4 bellows
18.xxx LL
HY-1350

Vehicle bracket kit: 56-233904
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.

13S

4x2

Air suspension, 4 bellows
18.xxx LL
HY-1350

Vehicle bracket kit: 56-233904
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.

18S**6x2/2, 6x2/4****Air suspension, 4 bellows****26.xxx BL, BL-WW****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70-22,5" or larger.

21S**6x2/2, 6x2-4****Air suspension, 4 bellows****26.xxx LL****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70-22,5" or larger.

22S**4x4H****Air suspension, 4 bellows****18.xxx BL****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700501

Wheel kit: 190

Fits vehicles with tyre dimension

305/70-22,5" or larger.

24S**6x2/2, 6x2-4****Air suspension, 4 bellows****26.xxx BL****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70-22,5" or larger.

30S**6x4****Air suspension, 4 bellows****26.xxx BLS****HYD 1370**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70-22,5" or larger.

Air suspension**HPD 1382**

Vehicle bracket kit: 56-262800

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R22,5" or larger.

59S**8x6****Air suspension, 4 bellows****35.xxx BLS****HPD-1382**

Vehicle bracket kit: 56-262800

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/80 R 22,5".

71S**6x4H-4****Air suspension, 4 bellows****28.xxx BL****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70 R22,5" or larger.

74S**6x2-4****Air suspension**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70 R22,5" or larger.

89S**6x2-2****28.xxx BL, BLS****HY-1350**

Vehicle bracket kit: 56-233904

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit: 56-230702

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

305/70 R22,5" or larger.

90S

8x2-4, 8x2-6

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70 R22, 5" or larger.

92S

8x4-4

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
295/60 R22,5" or larger.

TGX

05X

4x2

Air suspension, 4 bellows

18.xxx BL, BLS

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

06X

4x2/2

Air suspension, 4 bellows

18.xxx BL

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

10X

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

13X

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

18X

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

21X

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

22X

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233904 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230702 |
| Switch kit: | 56-241015 |
| Onspot kit: | 56-700501 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
305/70-22,5" or larger.

24X**6x2/2, 6x2-4****Air suspension, 4 bellows****26.xxx BL****HY-1350**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

30X**6x4****Air suspension, 4 bellows****26.xxx BLS****HYD 1370**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

Air suspension**HPD 1382**

Vehicle bracket kit: 56-262800
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5" or larger.

78X**4x2****Air suspension, 4 bellows****18.xxx BL, BLS****HY-1350**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

89X**6x2-2****28.xxx BL, BLS****HY-1350**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

92X**8x4-4****Air suspension**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/60 R22,5" or larger.

How to read the vehicle specification:

| | |
|---------------------------|--------------------------------------|
| Atego 4x2 | Vehicle model, Axle configuration |
| 712-823 | Vehicle type |
| Air suspension | Rear axle suspension |
| 97x.00 to 97x.02 | Baumuster-number |
| HL2/43 DC 6,2 | Axle type |
| M16x1.5 | Clamp thread |
| Mercedes-Benz Code | Chains |
| KYSB - Onspot | 18-chains |
| KYSC - Onspot | 12-chains |
| KYSD - Onspot | 6-chains |

Key to the list for MERCEDES-BENZ

| | |
|---|----------------|
| L | Air suspension |
| K | Kipper |
| S | Tractor |

| Wheel kit 170 | | MB part nr. |
|----------------------------|-----------|--------------------|
| 6-chains | 56-236503 | 662 583 14 16 |
| 6-chains sparkle resistant | 56-236507 | |
| 12-chains | 56-236506 | 662 583 10 16 |
| 18-chains | 56-236509 | 662 583 12 16 |
| Wheel kit 190 | | MB part nr. |
| 6-chains | 56-236501 | 662 583 15 16 |
| 6-chains sparkle resistant | 56-236504 | |
| 12-chains | 56-236505 | 662 583 11 16 |
| 18-chains | 56-236508 | 662 583 13 16 |

NOTE! Always check the Baumuster-number. This is the valid number and it determinates the chassi of the vehicle, i.e the designation Atego, Actros etc. is less important. The Baumuster-number is found on the vehicle's frame-beam, inside the right of the frontmost wheelhousings and in position 4-6.

Actros New

4x2, 6x2, 6x4, 8x4

Air suspension

963

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 - 22.5" or larger.

Actros

4x2, 4x4, 6x2, 6x4, 6x6

1831-1853, 2531-2553

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 4x4, 6x2

Plate suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/70 R22.5" or larger.

Actros MP2,MP3

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

930

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Tank bracket kit: 56-238200

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832-1854, 2032-2054

Plate suspension

930, 932, 934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/70 R22.5" or larger.

8x4/4, 6x4, 6x6

Plate suspension

930, 932, 934

HL6, HL7, HL8

MB part nr: 662 583 30 16

Vehicle bracket kit: 56-255100

Onspot kit: 56-700503

Switch kit: 56-241004

Wheel kit: 190

Fits vehicles with tyre dimension

265/80 R22,5" or larger.

Antos

4x2, 6x2

Air suspension

963

A2E

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 - 22.5" or larger.

Arocs

4x2, 6x2, 6x4, 8x4/4

Air suspension

964

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 -22.5" or larger.

8x4/4, 6x4, 6x6

Plate suspension

964

HL6, HL7, HL8

M24x2

MB part nr: 662 583 30 16

Vehicle bracket kit: 56-255100

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 -22.5" or larger.



Atego New

4x2

1216-1530

Air suspension

967

A9/HL4

M24x2

Vehicle bracket kit: 56-714200

Switch kit: 56-241019

Onspot kit: 56-700503

Wheel kit: 170

Fits vehicles with tyre dimension

265/70 R19.5" or larger.

• Stabilizer under the cardan shaft.

4x2

Plate suspension

967

HL4/40DC 10.8

M18x1,5

Vehicle bracket kit: 56-712600

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension

335/80 R20" or larger.

• Single wheel

4x4, 4x2

Plate suspension

967

A2L

M18x1,5

MB part nr: A 663 583 18 16

Vehicle bracket kit: 56-258700

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/70 R22.5" or larger.

Atego Atego 2

4x2

Air suspension

97x

HL4

M22x1.5

MB part nr: A 663 583 16 16

Vehicle bracket kit: 56-232601

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

265/70 R19,5" or larger.

• Stabilizer under the cardan shaft.

Atego 2, Atego 3

4x2

1214-1529

Air suspension

970.25 to 970.28

A9/HL4

M24x2

MB part nr: A 663 583 17 16

Vehicle bracket kit: 56-714200

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 170

Fits vehicles with tyre dimension

265/70 19,5" or larger.

• Stabilizer under the cardan shaft.

Axor II

4x2, 6x2/4

Air suspension

95x

HL7 / HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60R22.5" or larger.

4x2

Plate suspension

95x

HL7 / HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R22.5" or larger.

Axor 4x2, 6x2 Atego S

1835-1843, 2535-2543

Air suspension

944

HL6 / HL7

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

Econic Bluetec 6 4x2

Air suspension 956

HL6/HL8
M24x2

MB part nr: A 663 583 10 16
Vehicle bracket kit: 56-255900
Onspot kit: 56-700503
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 - 22.5" or larger.

Econic 4x2, 6x2

1823-2628

Air suspension 95x

HL7/HL8
M24x2

MB part nr: A 662 583 20 16
Vehicle bracket kit: 56-231502
Switch kit: 56-241005
Onspot kit: 56-700503
Wheel kit: 190
Fits vehicles with tyre dimension
315/60 R22.5" or larger.

Sprinter

2xx

Plate suspension 906xxx, 907xxx

Vehicle bracket kit: 56-264300
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*



3xx

Air suspension: VB 906xxx, 907xxx

Vehicle bracket kit: 56-264300
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*

3xx

Plate suspension 906xxx, 907xxx

Vehicle bracket kit: 56-264300
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*

4xx

4x2

Air suspension: VB 907xxx

Vehicle bracket kit: 56-736600
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Air suspension: VB 906xxx

Vehicle bracket kit: 56-262200
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Plate suspension 906xxx, 907xxx

Vehicle bracket kit: 56-262200
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x4

Plate suspension 906xxx

Vehicle bracket kit: 56-247000
Switch kit: 56-241012
Compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*
- *Move spare wheel under floor behind the axle.*

Unimog

U 300, 405.100, 405.120

U 400, 405.102, 405.122

Onspot kit: 56-700500
Vehicle bracket kit: 56-237000
Wheel kit: 190

Fits vehicles with tyre dimension 12,5
R20 Ø 1040 or larger.

- *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

U 500, 405.200, 405.220

Onspot kit: 56-700500
Vehicle bracket kit: 56-237100
Wheel kit: 190

Fits vehicles with tyre dimension 12,5
R20 Ø 1040 or larger.

- *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

How to read the vehicle specification:

Super Great _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Super Great

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-238500

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
 275/80-22,5" or larger.

- 12-chain wheels should be used.



How to read the vehicle specification:

Euroliner _____ Vehicle model
Air suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Euroliner

Air suspension

Vehicle bracket kit: 56-235401
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
295/70-22,5" or larger.

- *Disc brake*



How to read the vehicle specification:

BIG Thumb _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

Atleon

4x2

Plate suspension

Vehicle bracket kit: 56-247600
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 265/70-19,5" or larger.

BIG Thumb

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-232301
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 295/70-22,5" or larger.

- 6x2, 6x4 rear-mounting
- 4x2 front-mounting

NV 400

Plate suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Plate suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*



How to read the vehicle specification:

Movano _____ Vehicle model
4x2 _____ Axle configuration
Plate suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Movano

Plate suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Plate suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*



How to read the vehicle specification:

| | |
|-------------------------------|----------------------|
| Midlum _____ | Vehicle model |
| 4x2 _____ | Axle configuration |
| 669- 07 _____ | Rear axle type |
| Plate suspension _____ | Rear axle suspension |
| M18x1,5 _____ | Clamp thread |

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Range -C

4x2

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-703500 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

6x4, 8x4

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-238903 |
| Switch kit: | 56-241024 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension 305/70 R22,5" or larger.

6x4

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-712800 |
| Switch kit: | 56-241024 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

Range -K

6x4, 6x6, 8x4

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-255000 |
| Switch kit: | 56-241024 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

4x2, 4x4

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-703500 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

Range -D

3,5t - 7,5t

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-266400 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension 205/75 R16" or larger.

10t - 18t

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233501 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension 245/70- 19,5" or larger.

• For 22,5" wheels, use wheel kit 190.

10t - 18t

Air suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-253000 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension 285/70- 19,5" or larger.

Range -T

4x2, 6x2, 6x2/4

Air suspension M24x2

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241024 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 190 |

Fits vehicles with tyre dimension
315/60 R22,5" or larger.

Mascott DXI 160

Plate suspension M16x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-244700 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension
215/75 R16" or larger.



Master

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-254400 |
| Air compressor kit: | 56-241800 |
| Onspot kit: | 56-700502 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension
195/75 R16C" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Midlum DXI

4x2, 6x2

P08120, P08125

Plate suspension M18x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233303 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension
215/75- 17,5" or larger.

4x2, 6x2

P11140, P11145, P11150, P1191

Plate suspension M20x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233501 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension
245/70- 19,5" or larger.

- *For 22,5" wheels, use wheel kit 190.*

4x2, 6x2

P11140, P11145, P11150, P1191, P08120, P08125

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233702 |
| Onspot kit: | 56-700500 |
| Wheel kit : | 170 |

Fits vehicles with tyre dimension
285/70 -19,5" or larger.

Midlum

4x2, 4x4

P920SLC, P941, P1120SLA, P1121, P1120SLB, P1120SLC

Plate suspension M20x1,5

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-233501 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241012 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
245/70- 19,5" or larger.

- *For 22,5" wheels, use wheel kit 190.*

4x2, 4x4

P1140, P1170

Air suspension M24x2

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-237600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
265/70- 19,5" or larger.

Premium, Magnum DXI

4x2, 6x2, 6x2/4

P13170, P13195,

Air suspension M24x2

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

Fits vehicles manufactured from
2006.



Premium DXI

4x2

**P13150, P1391, P13170,
P1395, P2191**

Plate suspension M24x3

Vehicle bracket kit: 56-241601
Onspot kit: 56-700500
Wheel kit : 190

Fits vehicles with tyre dimension
315/70- 22,5" or larger.
Fits vehicles manufactured from
2006.

6x4, 8x4

Plate suspension

Vehicle bracket kit: 56-238903
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit : 190

Fits vehicles with tyre dimension
305/70- 22,5" or larger.

Premium, Magnum

4x2, 6x2, 6x2/4

All rear axles

Plate suspension M24x2

Vehicle bracket kit: 56-228101
Onspot kit: 56-700500
Switch kit: 56-241012
Wheel kit: 190

Fits vehicles with tyre dimension
315/70- 22,5" or larger.
Applies up to and including year
model 2006.

Kerax DXI

4x2, 4x4

**P1595, P2695, P3395,
P3396**

Plate suspension M24x3

Vehicle bracket kit: 56-241602
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/60- 22,5" or larger.
Fits vehicles manufactured from
2006.

6x2, 6x6, 8x4

All rear axles

Plate suspension

Vehicle bracket kit: 56-255000
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

Master

Plate suspension

Vehicle bracket kit: 56-254400
Air compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit : 170

Fits vehicles with tyre dimension
195/75- R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Rosero _____ Vehicle model
Plate suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Iveco chassis

Daily 70C

Plate suspension

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-259800 |
| Compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Does not fit vehicles with low floor.*

How to read the type classification:

R-series

e.g.: R 580 LA 4x2 MNA,
where N denotes chassis height Normal

4-series

e.g.: R 144 LA 4x2 NA 530,
where N denotes chassis height Normal

Rebuilding

To get the Onspot unit in correct position some models with short wheel base (3400 mm - 3800 mm) may demand certain rebuilding such as moving the exhaust box or exchanging the muffler tail pipe, etc.


Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Axle configurations:



Generation 6

P, G, R, T, L, S-series

4x4, 4x2

Plate suspension

| | |
|---|-----------|
| Vehicle bracket kit: | 56-241900 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 275/70-22,5" or larger. | |

4x4

Air suspension, 2 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-230502 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/80-22,5" or larger. | |

P, G, R, T-series chassis height L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

| | |
|--|-----------|
| Vehicle bracket kit: | 56-710500 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60 R22,5" or larger. | |

• Do not fit vehicles with crossbeam.

4x2

Air suspension, 4 belows

| | |
|--|-----------|
| Vehicle bracket kit: | 56-239800 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60 R22,5" or larger. | |

P, G, R, T, L, S-series chassis height H,N,S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam Vehicles with AdBlue-tank outside the frame

| | |
|---|-----------|
| Vehicle bracket kit: | 56-710500 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Air suspension, 2 belows
Vehicles without crossbeam
Vehicles with AdBlue-tank under the frame

| | |
|---|-----------|
| Vehicle bracket kit: | 56-710600 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 170 |
| Protection plate: | 56-704600 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

4x2

Air suspension, 4 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-239800 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-710700 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

Generation ≤5

P, G, R, T-series

4x4, 4x2

Plate suspension

| | |
|---|-----------|
| Vehicle bracket kit: | 56-241900 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241009 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 275/70-22,5" or larger. | |

4x4

Air suspension, 2 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-230502 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241009 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/80-22,5" or larger. | |

P, G, R, T-series chassis height L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

| | |
|--|-----------|
| Vehicle bracket kit: | 56-254700 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60 R22,5" or larger. | |
| • Do not fit vehicles with crossbeam. | |

4x2

Air suspension, 4 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-239800 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241009 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

P, G, R, T-series chassis height H,N,S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank outside the frame

| | |
|---|-----------|
| Vehicle bracket kit: | 56-254700 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank under the frame

| | |
|---|-----------|
| Vehicle bracket kit: | 56-264000 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |
| Protection plate: | 56-704600 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Vehicles with crossbeam

| | |
|---|-----------|
| Vehicle bracket kit: | 56-230102 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Replacement crossbeam: | 56-246900 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

4x2

Air suspension, 4 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-239800 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241009 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

P, G, R, T-series chassis height E

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

| | |
|---|-----------|
| Vehicle bracket kit: | 56-242500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 275/70-22,5" or larger. | |
| • Do not fit vehicles with crossbeam. | |

P, G, R, T-series chassis height S, H, N

6x4

Plate suspension

| | |
|--|-----------|
| Vehicle bracket kit: | 56-256500 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 275/70 R22,5" or larger. | |

4-series chassis height L

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belows

Vehicle bracket kit: 56-230101
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
275/70-22,5" or larger.

- Do not fit vehicles with crossbeam.

4-series chassis height N

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belowses

Vehicle bracket kit: 56-230101
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/60-22,5" or larger.

- Some vehicles are equipped with crossmember ahead of the rear axle, depending on the specification. This should be exchanged against one that is adjusted for Onspot (Part no 56-246900)



Buses

K-chassis

4x2, 6x2, 6x2*4, 8x2

Air suspension

Rear axle: ADA1303

Vehicle bracket kit: 56-711800
Onspot kit: 56-700500
Switch kit: 56-241009
Wheel kit: 170

Fits vehicles with tyre dimension

295/80 R22,5" or larger.

- Crossmember needs to be moved.
- Oil filter on rear axle needs to be removed, cover included in the kit.

How to read the vehicle specification:

S 517 HDH ————— Vehicle model

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

S 517 HDH

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-709500 |
| Onspot kit: | 56-700500 |
| Switch kit: | 56-241019 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension
295/80-22,5" or larger.

How to read the vehicle specification:

RT 403 _____ Truck model

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

RT 403

Vehicle bracket kit: 56-263600
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 325/95-R 24" or larger.

YT182

Vehicle bracket kit: 56-261900
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-R 22,5" or larger.

YT222

Vehicle bracket kit: 56-261900
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-R 22,5" or larger.

How to read the vehicle specification:

4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Quon

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit: 56-232301
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/70 R22,5" or larger.

Rigid

4x2, 6x2, 6x4

Plate suspension

Vehicle bracket kit: 56-258000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 11 R22,5

Tractor

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit: 56-242700
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 11 R22,5
 From year model 2018.



How to read the vehicle specification:

Air suspension _____ **Rear axle suspension**

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Altano

Air suspension

Vehicle bracket kit: 56-250000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/80 R22,5" or larger.



Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Futura

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-265000 |
| Switch kit: | 56-241023 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

How to read the vehicle specification:

| | |
|--|---|
| _____ | Vehicle model |
| FM, FH _____ | Axle configuration etc, see table right |
| RAD-A4, RAPD-A6, RADT-A6S _____ | Type of suspension |
| RST-AIR _____ | Supplementary information |
| 4 bellows, drum brakes | |

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Volvo's "Vehicle identification card"

Identify the vehicles' construction by means of the Vehicle identification card that accompanies every new Volvo:

"Wheel suspension and steering"

| | |
|----------|---|
| RAD-L80 | 4x2 Plate suspension, rear axle (80mm). Used on FL |
| RAD-L90 | 4x2 Plate suspension, rear axle (90mm). Used on FE, FM and FH |
| RAD-A2 | 4x2 Air suspension, rear axle with 2 bellows |
| RAD-A2R | 4x2 Air suspension, rear axle with 2 bellows, reinforced |
| RAD-A4 | 4x2 Air suspension, rear axle with 4 bellows |
| RADT-A4 | 6x2 Air suspension, bogie with 4 bellows |
| RAPD-A6 | 6x2 Air suspension, pusher with 6 bellows |
| RADT-AR | 6x2/8x2 Plate suspension, A-ride with bogie axle |
| RADT-A6 | 6x2 Air suspension, bogie with 6 bellows |
| RADT-A6S | 6x2 Air suspension, bogie with 6 bellows with steering trailing axle |
| RADT-LA | 6x2 Plate suspension, rear axle with air suspension steering trailing axle behind drive axle |
| RADD-TR1 | 6x4/8x4 Plate suspension, narrow T-ride with two drive axles |
| RADD-TR2 | 6x4/8x4 Plate suspension, wide T-ride with two drive axles |
| RADD-BR | 6x4/8x4 Plate suspension, B-ride with two drive axles |
| RADD-A8 | 6x4/8x4 Air suspension, rear axle with drive axles and 8 bellows |
| RADT-A8 | 6x2/8x2 Air suspension, bogie with 8 bellows. Fixed or steering trailing axle behind drive axle |
| RADDT-12 | 8x4 Air suspended tridem with two drive axles and a steering trailing axle |
| RAD-G2 | 4x2 Air suspensions - 4 Bellows |
| RADD-G2 | 6x4/8x4 Tandem with Air suspension - 8 Bellows |
| RADDT-G2 | 8x4 Tandem with Steering tag axle - Air suspension - 12 Bellows |

"Power transmission"

| | |
|----------|---------------------------|
| RACAS-WE | Welded rear axle housing |
| RACAS-CA | Moulded rear axle housing |

"Brake"

| | |
|----------|------------|
| BRAKE-ZV | Drum brake |
| BRAKE-DV | Disc brake |

"Frame, Springs, Damping and Wheels"

| | |
|-----------|-----------------------------------|
| RST- AIR | Old type of suspension |
| RST- AIR2 | GRAS suspension |
| RST- PAR | Parable suspension |
| RST- MUL | Trapeze suspension (conventional) |
| VW 2300 | Truck width 2300 mm |
| VW 2550 | Truck width 2550 mm |
| VW 2600 | Truck width 2600 mm |

FL

RAD-KR

| | |
|--|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60 R22,5" or larger. | |

RAD-L80

VW2600, VW2550

| | |
|---|-----------|
| Vehicle bracket kit: | 56-233501 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |
| Fits vehicles with tyre dimension 245/70-19,5" or larger. | |
| • For 22,5" wheels, use wheel kit 190 | |
| • From year model 2007. | |

RAD-A2, RAD-A2V

VW2600

| | |
|---|-----------|
| Vehicle bracket kit: | 56-253000 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |
| Fits vehicles with tyre dimension 285/70-19,5" or larger. | |

RAD-A2R

| | |
|---|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

FL6

FL 6L-medium

2-bellow suspension

Air suspension

VW2600, VW2550

Disc brakes

| | |
|---|-----------|
| Vehicle bracket kit: | 56-230801 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 235/75-17,5" or larger. | |
| • For tyres smaller than 285/70-19.5" use 170-wheel, otherwise use 190-wheel. | |
| • Tyres 295/70-22.5" and larger require supplementary kit 56-231700. | |
| • 12-chain wheels should be used. | |
| • From year model 2000. | |
| • Applies up to and including year model 2006. | |

FL 6E-medium

RST-PAR

Plate suspension

Disc brakes

| | |
|---|-----------|
| Vehicle bracket kit: | 56-241600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

4-bellow air suspension

| | |
|---|-----------|
| Vehicle bracket kit: | 56-223201 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/60-22,5" or larger. | |

FE

RAD-A2R

| | |
|---|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

RADT-A4

| | |
|---|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

RAD-KR, RADT-KR

| | |
|---|-----------|
| Vehicle bracket kit: | 56-261100 |
| Switch kit: | 56-241010 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/60-22,5" or larger. | |

FH, FM, FMX

RAD-G2, RADD-G2,

RADDT-G2

| | |
|---|-----------|
| Vehicle bracket kit: | 56-707600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 295/ 80 R22,5" or larger. | |

RADT-GR, RADD-GR,

RADDT-GR, RAPDT-GR

| | |
|---|-----------|
| Vehicle bracket kit: | 56-253600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/ 60 R22,5" or larger. | |

RAPDD-GR

| | |
|---|-----------|
| Vehicle bracket kit: | 56-253600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/ 60 R22,5" or larger. | |
| • Air tank may need to be moved | |

RAD-GR

Tractor

| | |
|--|-----------|
| Vehicle bracket kit: | 56-257600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/ 60 R22,5" or larger. | |
| • When mounted on vehicles with BBOX-EF, it may be necessary to relocate the air tank which is mounted underneath the batteries. | |
| • When mounted on vehicles with BBOX-L need the brackets on the 50-litres tank mounted on the end beam be replaced with brackets in the kit 56-704700. | |

Rigid

| | |
|---|-----------|
| Vehicle bracket kit: | 56-261300 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/ 60 R22,5" or larger. | |

RAPD-GR

| | |
|---|-----------|
| Vehicle bracket kit: | 56-257600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |
| Fits vehicles with tyre dimension 315/ 60 R22,5" or larger. | |

RAD-L90

RST-PAR

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-258000 |
| Switch kit: | 56-241020 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

• From year model 2014 (FH/FM version 4)

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-258000 |
| Switch kit: | 56-241006 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

• From year model 2007 up to and including year model 2013

RAD-L90, RADT-LA**RST-PAR, disc brakes**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-241600 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 315/60-22,5" or larger.

- *Applies up to and including year model 2007*

RADD-TR1, RADD-TR2

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-255000 |
| Switch kit: | 56-241006 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 295/80 R11,5" or larger.

RADD-BR**RACAS-CA**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-238900 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/70-22,5" or larger.

RAD-A4, RAPD-A6**RST-AIR**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-228901 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- *It may be necessary to move the air tanks when fitting using a pusher shaft.*

RADT-A8, RADD-A8, RADDT12**RST-AIR2**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-223201 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- *On RADT-A8 trucks the 50-litres tank behind the steering axle must be moved to a crossbeam behind the running axle or outside the truck's frame. Remount using tube kit 56-237800.*
- *On RADT-A8 tractors the 50-litres tank behind the drive axle must be moved and remounted using tank bracket kit 56-236600 and tube kit 56-237800.*

**RAD-A4, RAPD-A6, RADT-A6S****RST-AIR2**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-223201 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- *Suits vehicles with cardan PROPS-LE and tyre dimensions 315/70-22,5" or larger.*

RADT-A6, RADT-A8, RADD-A8**RST-AIR, Drum brakes**

From ch. no. A273949, 1 820289, B 185922

2 air tanks beneath the crossbeam

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-230301 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- *Air tanks must be moved.*
- *12-chain wheels should be used.*

1 air tanks beneath the crossbeam

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-231001 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- *Air tanks may need to be moved.*
- *12-chain wheels should be used.*

Buses**B10-M, B10-B, B12****Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-232001 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 315/70-22,5" or larger.

- *On 6x2 it might be necessary to move the air tanks.*
- *12-chain wheel should be used on vehicles with chassisnumber lower than 10558.*

B12M, B12B, B12BLE**Disc brake****Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-235901 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- *12-chain wheels should be used.*

B7R Mk II**Disc brake****Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-242700 |
| Switch kit: | 56-241013 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- *12-chain wheels should be used.*

B8R**Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-714100 |
| Switch kit: | 56-241021 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- *12-chain wheels should be used.*

B8R, B8RLE**4x2****Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-717200 |
| Switch kit: | 56-718300 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

B8R**6x2****Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-716700 |
| Switch kit: | 56-718300 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

- *Replace the bracket for the EBS-valve with 56-718400.*

B11R**Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-716700 |
| Switch kit: | 56-718300 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 170 |

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

- *Replace the bracket for the EBS-valve with 56-718400.*

B11, B13**Air suspension**

| | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-258500 |
| Switch kit: | 56-241021 |
| Onspot kit: | 56-700500 |
| Wheel kit: | 190 |

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

How to read the vehicle specification:

| | |
|-------------------------------|--------------------------------------|
| LT _____ | Vehicle model, Axle configuration |
| LT 35 _____ | Vehicle type |
| Plate suspension _____ | Rear axle suspension |
| Chains | |
| 12-chains | |

Wheel kit 170

| | |
|----------------------------|-----------|
| 6-chains | 56-236503 |
| 6-chains sparkle resistant | 56-236507 |
| 12-chains | 56-236506 |
| 18-chains | 56-236509 |

Wheel kit 190

| | |
|----------------------------|-----------|
| 6-chains | 56-236501 |
| 6-chains sparkle resistant | 56-236504 |
| 12-chains | 56-236505 |
| 18-chains | 56-236508 |

Crafter

4x2

**Plate suspension
Twin wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-719500 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |
- Fits vehicles with tyre dimension 205/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - From year model 2019

4x2

**Plate suspension
Single wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-717500 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |
- Fits vehicles with tyre dimension 205/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - From year model 2019

4x2

**Air suspension: VB
Single wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-264300 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit : | 170 |
- Fits vehicles with tyre dimension 225/70 R15" or larger.
- 12 or 18-chain wheels should be used.
 - Applies up to and including year model 2018

4x2

**Plate suspension
Single wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-264300 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |
- Fits vehicles with tyre dimension 225/70 R15" or larger.
- 12 or 18-chain wheels should be used.
 - Applies up to and including year model 2018

4x2

**Air suspension: VB
Twin wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-262200 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit : | 170 |
- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Applies up to and including year model 2018

4x2

**Plate suspension
Twin wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-262200 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |
- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Applies up to and including year model 2018

4x4

**Plate suspension
Twin wheel**

- | | |
|----------------------|-----------|
| Vehicle bracket kit: | 56-247000 |
| Switch kit: | 56-241012 |
| Air compressor kit: | 56-255200 |
| Onspot kit: | 56-700502 |
| Wheel kit: | 170 |
- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Move spare wheel under floor behind the axle.
 - Applies up to and including year model 2018



Table of tyre dimensions

The table shows the tyre's height when the vehicle is unloaded.

| Dim. | Tyre diameter | Dim. | Tyre diameter |
|---------------|---------------|---------------|---------------|
| 15" | | 20" | |
| 225/70 R 15 | 696 mm | 12/80 R 20 | 1008 mm |
| 205/80 R 15 | 708 mm | 9.00-20 | 1012 mm |
| 7,50 R 15 | 769 mm | 9.00 R 20 | 1018 mm |
| 8,25 R 15 | 836 mm | 13/80 R 20 | 1048 mm |
| 16" | | 10.00-20 | 1050 mm |
| 185/75 R 16 | 684 mm | 10.00 R 20 | 1052 mm |
| 215/65 R 16 | 686 mm | 11.00-20 | 1080 mm |
| 195/75 R 16 | 699 mm | 11.00 R 20 | 1082 mm |
| 235/65 R 16 | 712 mm | 12.00-20 | 1120 mm |
| 215/75 R 16 | 730 mm | 12.00 R 20 | 1122 mm |
| 225/75 R 16 | 743 mm | 13.00-20 | 1170 mm |
| 7,00 R 16 | 787 mm | 13.00 R 20 | 1176 mm |
| 7,50 R 16 | 805 mm | 22,5" | |
| 8,25 R 16 | 860 mm | 9/70 R 22,5 | 892 mm |
| 17" | | 10/70 R 22,5 | 928 mm |
| 8,25 R 17 | 886 mm | 295/60 R 22,5 | 928 mm |
| 8,25 17 | 895 mm | 255/70 R 22,5 | 930 mm |
| 17,5" | | 8 R 22,5 | 936 mm |
| 205/75 R 17,5 | 753 mm | 305/60 R 22,5 | 946 mm |
| 215/75 R 17,5 | 767 mm | 275/70 R 22,5 | 958 mm |
| 225/75 R 17,5 | 783 mm | 315/60 R 22,5 | 958 mm |
| 8 R 17,5 | 784 mm | 11/70 R 22,5 | 962 mm |
| 245/70 R 17,5 | 797 mm | 9-22,5 | 970 mm |
| 8,5 R 17,5 | 802 mm | 9 R 22,5 | 970 mm |
| 235/75 R 17,5 | 808 mm | 295/70 R 22,5 | 986 mm |
| 245/75 R 17,5 | 813 mm | 12/70 R 22,5 | 999 mm |
| 9 R 17,5 | 820 mm | 305/70 R 22,5 | 1000 mm |
| 9,5 R 17,5 | 842 mm | 275/80 R 22,5 | 1012 mm |
| 19,5" | | 315/70 R 22,5 | 1014 mm |
| 245/70 R 19,5 | 839 mm | 10-22,5 | 1020 mm |
| 245/75 R 19,5 | 862 mm | 10 R 22,5 | 1020 mm |
| 255/70 R 19,5 | 853 mm | 13/70 R 22,5 | 1033 mm |
| 8 R 19,5 | 856 mm | 295/80 R 22,5 | 1044 mm |
| 8,5 R 19,5 | 856 mm | 315/75 R 22,5 | 1044 mm |
| 265/70 R 19,5 | 867 mm | 12/80 R 22,5 | 1046 mm |
| 9 R 19,5 | 894 mm | 11 R 22,5 | 1050 mm |
| 9,5 R 19,5 | 894 mm | 11-22,5 | 1054 mm |
| 285/70 R 19,5 | 895 mm | 315/80 R 22,5 | 1076 mm |
| 305/70 R 19,5 | 923 mm | 12-22,5 | 1084 mm |
| 315/70 R 19,5 | 937 mm | 12 R 22,5 | 1084 mm |
| | | 13 R 22,5 | 1124 mm |

Spare parts Onspot 016



56-700601 Onspot unit, complete
(stamped no. 56-330200)



56-700600 Onspot unit, complete
(stamped no. 56-330100)



56-700700 Stopper, standard
(stamped no. 56-331200)

56-700701 Stopper, standard
(stamped no. 56-331300)



56-700702 Stopper
(stamped no. 56-332700)

56-700703 Stopper
(stamped no. 56-332800)



56-241200 Hitching kit



56-701000 Onspot 016 chain, arm axle kit

Spare parts Onspot 012



56-320601 Stopper
(stamped no. 56-318803)

56-320602 Stopper
(stamped no. 56-318804)




56-320900 Hose holder




56-320603 Stopper
(stamped no. 56-318807)

56-320604 Stopper
(stamped no. 56-318808)




56-241200 Hitching kit



56-324300 Onspot 012 chain, arm axle kit

Spare parts Onspot 012, 016



- 56-321001 Arm incl. mounting components (stamped no. 56-320201)
- 56-321007 Arm incl. mounting components (stamped no. 56-321301)
- 56-321015 Arm incl. mounting components (stamped no. 56-321701)
- 56-321017 Arm incl. mounting components (stamped no. 56-321801)
- 56-321036 Arm incl. mounting components (stamped no. 56-323601)
- 56-324001 Arm incl. mounting components (stamped no. 56-322601)
- 56-324005 Arm incl. mounting components (stamped no. 56-322801)
- 56-324011 Arm incl. mounting components (stamped no. 56-323701)
- 56-324013 Arm incl. mounting components (stamped no. 56-323801)



- 56-321002 Arm incl. mounting components (stamped no. 56-320202)
- 56-321008 Arm incl. mounting components (stamped no. 56-321302)
- 56-321016 Arm incl. mounting components (stamped no. 56-321702)
- 56-321018 Arm incl. mounting components (stamped no. 56-321802)
- 56-321037 Arm incl. mounting components (stamped no. 56-323602)
- 56-324002 Arm incl. mounting components (stamped no. 56-322602)
- 56-324006 Arm incl. mounting components (stamped no. 56-322802)
- 56-324012 Arm incl. mounting components (stamped no. 56-323702)
- 56-324014 Arm incl. mounting components (stamped no. 56-323802)



- 56-321003 Arm incl. mounting components (stamped no. 56-321101)
- 56-321023 Arm incl. mounting components (stamped no. 56-322201)
- 56-321019 Arm incl. mounting components (stamped no. 56-321901)
- 56-321025 Arm incl. mounting components (stamped no. 56-322301)
- 56-324009 Arm incl. mounting components (stamped no. 56-323101)
- 56-321034 Arm incl. mounting components (stamped no. 56-323501)



- 56-321004 Arm incl. mounting components (stamped no. 56-321102)
- 56-321024 Arm incl. mounting components (stamped no. 56-322202)
- 56-321020 Arm incl. mounting components (stamped no. 56-321902)
- 56-321026 Arm incl. mounting components (stamped no. 56-322302)
- 56-324010 Arm incl. mounting components (stamped no. 56-323102)
- 56-321035 Arm incl. mounting components (stamped no. 56-323502)



56-321009 Arm incl. mounting components (stamped no. 56-321401)

56-321011 Arm incl. mounting components (stamped no. 56-321501)

56-321029 Arm incl. mounting components (stamped no. 56-322501)

56-324007 Arm incl. mounting components (stamped no. 56-323001)

56-321038 Arm incl. mounting components (stamped no. 56-340001)

56-321039 Arm incl. mounting components (stamped no. 56-340002)



56-321013 Arm incl. mounting components (stamped no. 56-321600)



56-321031 Arm incl. mounting component (stamped no. 56-321601)



56-321021 Arm incl. mounting components (stamped no. 56-322101)



56-320700 Mounting components, arm



56-321010 Arm incl. mounting components (stamped no. 56-321402)

56-321012 Arm incl. mounting components (stamped no. 56-321502)

56-321030 Arm incl. mounting components (stamped no. 56-322502)

56-324008 Arm incl. mounting components (stamped no. 56-323002)



56-321032 Arm incl. mounting components (stamped no. 56-323301)




56-321022 Arm incl. mounting components (stamped no. 56-322102)



56-321033 Arm incl. mounting components (stamped no. 56-323302)


Spare parts Onspot 012, 016



- 56-320101 Valve kit 24V, complete
- 56-320102 Valve kit 12V, complete
- 56-320103 Valve kit 24V, complete(MB)



- 56-329000 T-joint




- 56-329200 T-joint (MB)




- 56-329100 Plastic hose 20 m

Onspot 016



- 56-701100 Nipple kit, 4 nipples



- 56-701200 Throttle valve



- 56-711300 Check valve kit



- 56-714700 Indicator light kit

Onspot 012



- 56-320800 Nipple set, cylinder 4 nipples

Switches



- | | | | |
|-----------|--|-----------|---|
| 56-241002 | IVECO: Tector, Eurotech, Eurostar, Trakker, Stralis, Eurocargo 4x2 (to 2007) | 56-241023 | VDL: Futura |
| 56-241003 | MAN: TGA, TGL, TGM | 56-241024 | Renault: K, C (cab 2.5m) |
| 56-241004 | MB: Actros MP2, MP3 | 56-241025 | Renault: D |
| 56-241005 | MB: Vario, Econic, Actros, Atego, Atego 2, Atego S, Axor, Axor II UNIMOG: U300, U400, U500 | 56-710700 | Scania: P, G, R, T, S-series Generation 6 |
| 56-241006 | VOLVO: FL 6L, FL 6E, FM, FH (to 2012) | 56-727500 | DAF: XF Euro 6, CF Euro 6 (from 2017) |
| 56-241007 | SCANIA: 4-series, Buses | | |
| 56-241008 | DAF: LF45, CF55, CF65, CF75, CF85, 95XF, XF95, XF105 | | |
| 56-241009 | SCANIA: P, G, R, T-series Generation ≤ 5 | | |
| 56-241010 | RENAULT: Midlum DXI, Premium DXI, Magnum DXI, Kerax DXI VOLVO: FL, FE SISU: 6x4/8x4/10x4 Plate suspension | | |
| 56-241011 | DAF: 65CF, 75CF, 85CF | | |
| 56-241012 | FORD: T 350, T 430 IVECO: Daily RENAULT: Mascott DXI 160 MB: Sprinter 3xx, Sprinter 5xx VW: Crafter 30, Crafter 50 | | |
| 56-241013 | HINO: Profia MAN: L2000, M2000L, M2000M, F2000, E2000 MITSUBISHI: Super Great NISSAN: BIG Thumb ISUZU: Gigamax VOLVO: Buses | | |
| 56-241014 | IVECO: Eurocargo 4x4 | | |
| 56-241015 | MAN: TGS, TGX | | |
| 56-241016 | MB: Sprinter 311-316 (1998-2006) VW: LT 35 (1998-2006) | | |
| 56-241017 | NISSAN: Atleon | | |
| 56-241018 | IVECO: Eurocargo 4x2 (from 2008) | | |
| 56-241019 | MB: Actros MP4, Antos | | |
| 56-241020 | VOLVO: FH (from 2013) | | |
| 56-241021 | VOLVO: Buses B11, B13 | | |
| 56-241022 | DAF: XF Euro 6, CF Euro 6 (to 2016) | | |

Spare parts Onspot



Wheel kit, incl. wheel bearings

- 56-726000 6-chains, Wheel 190
- 56-236503 6-chains, Wheel 170
- 56-726100 6-chains sparkle resistant, Wheel 190
- 56-236507 6-chains sparkle resistant, Wheel 170
- 56-726200 12-chains, Wheel 190
- 56-236506 12-chains, Wheel 170
- 56-726300 12-chains, long, Wheel 190
- 56-726400 18-chains, Wheel 190
- 56-236509 18-chains, Wheel 170



Wheel, incl. wheel bearings

- 56-725000 6-chains, Wheel 190
- 56-236400 6-chains, Wheel 170
- 56-725100 6-chains sparkle resistant, Wheel 190
- 56-236411 6-chains sparkle resistant, Wheel 170
- 56-725200 12-chains, Wheel 190
- 56-236412 12-chains, Wheel 170
- 56-725300 12-chains, long, Wheel 190
- 56-725400 18-chains, Wheel 190
- 56-236418 18-chains, Wheel 170



Chain plate

- 56-246601 Chain plate, 6-chains, Wheel 190
- 56-246602 Chain plate, 6-chains, Wheel 170
- 56-246603 Chain plate, 6-chains sparkle resistant, Wheel 190
- 56-246604 Chain plate, 6-chains sparkle resistant, Wheel 170
- 56-246605 Chain plate, 12-chains, Wheel 190
- 56-246606 Chain plate, 12-chains, Wheel 170
- 56-246607 Chain plate, 12-chains long, Wheel 190
- 56-246608 Chain plate, 18-chains, Wheel 190
- 56-246609 Chain plate, 18-chains, Wheel 170



- 56-241300 **Wheel mounting kit, adjustable 120 mm, standard**
1x Wheel bolt, 4x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate



- 56-206000 **Wheel mounting kit, adjustable 100 mm, standard**
1x Wheel bolt, 2x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate



- 56-206700 **Wheel mounting kit, adjustable 80 mm, for low profiles**
1x Wheel bolt, 1x Angle spacer, 1x Nut, 1x Cover plate



- 56-241100 **Kickback guard kit**



- 56-246500 **Bolt kit Onspot wheel**



- 56-237300 **Wheel bearing kit**
2x Bearings
1x Retaining ring



- 56-728000 **Ball-bearing kit**
wheel 190



- 56-734600 **Wheel plate kit**
wheel190



- 56-727000 **Rubber**
wheel 190





- 56-246402 **Wheel disc**
wheel 170

Spare parts Onspot 03, 04

If the cylinder housing is damaged, the entire cylinder must be replaced with a completely new cylinder.

All Onspots now use the short cylinder variant. Older long cylinders can easily be replaced with short cylinders. The length of the adjusting screw identifies the type of cylinder you have (see diagram).

There are three different lengths of adjusting screw; measure the adjustment screw and use the table to find which cylinder you have.



Membrane kit

| Length (mm) | Complete cylinder |
|-------------|-------------------|
| 55 | 56-254603 |
| 115 | 56-254601 |
| 165 | 56-254602 |

Membrane kit 56-231100

| | |
|-----|----------|
| 1 x | Membrane |
| 1 x | Cover |
| 2 x | lamps |
| 2 x | Screws |
| 2 x | Nuts |

Angular toggle joint 56-251700




Angular toggle joint

Cylinder disassembly tool 56-207100

Great care should be taken whenever you do work on or replace parts in the cylinder.

Air cylinders have substantial inherent spring power.

Therefore you should always use the cylinder disassembly tool when undertaking these procedures.



Cylinder disassembly tool

Cylinder brackets

Spare parts Onspot 03, 04

Cylinder brackets



Cylinder bracket, left 56-188600
Cylinder bracket, right 56-188500



Cylinder bracket, left 56-063712
Cylinder bracket, right 56-063711

Spare parts Onspot 03, 04

Arms with bearing cups

Onspot can be fitted in two ways – in front of, or behind, the drive shaft. Identify which type of fitting you have by looking at figs. 1 and 2. The captions explain which arm type is used for each fitting.




Fig. 1, forward mounting






Fig. 2, rear mounting



| | |
|----------------|-----------|
| Arm type left | 56-155002 |
| Arm type right | 56-155001 |
| Arm type left | 56-155010 |
| Arm type right | 56-155009 |
| Arm type left | 56-155008 |
| Arm type right | 56-155007 |
| Arm type left | 56-165202 |
| Arm type right | 56-165201 |
| Arm type left | 56-203100 |
| Arm type right | 56-203000 |




| | |
|----------------|-----------|
| Arm type left | 56-188800 |
| Arm type right | 56-188700 |



| | |
|-----------|------------------|
| 56-191300 | Bearing cups |
| 2 x | Bearing cups |
| 1 x | Grease |
| 1 x | Locking compound |

Spare parts Onspot 03, 04



- | | | |
|---|-----------|---|
| 1 | 56-227900 | Valve nipple kit, incl.: |
| | 2 x | Insertion nipples |
| | 2 x | Screws |
| | 1 x | Plug |
| 2 | 56-208600 | Distribution block repair kit incl.: |
| | 1 x | Distribution block |
| | 1 x | Plug |
| | 2 x | Hose nipple |
| | 1 x | Insertion nipple |
| | 2 x | Hose clamps |
| | 2 x | Bolts M6x35 |
| | 2 x | Nuts M6 |
| 3 | 56-228000 | Cylinder nipple kit, incl.: |
| | 2 x | Hole bolts |
| | 2 x | Banjo nipples |
| | 4 x | Grommets |
| | 2 x | Hose clamps |
| 4 | 37-130200 | Mercedes Symbol plate |
| | 37-131500 | DAF, Iveco, MAN L2000, Volvo B10, Universal Symbol plates |
| | 37-132300 | Volvo, Symbol plate |
| 5 | 29-020000 | MAN solenoid valve |
| | 29-019900 | MAN connection cable |
| | 29-021900 | Solenoid valve incl. cable head, other vehicle models |
| 6 | | Plastic pipe 8x1 L= 6m |
| 7 | | Rubber hose Ø 8mm L= 4m, min 15 Bar |

* On some models. See the mounting instructions for each vehicle bracket.

** The installation of circuit breakers and connection to the air system are services provided by vehicle dealers.

Spare parts air compressor kit 12V



56-255300 Spare part kit Compressor
1 x Compressor



56-721000 Spare part kit Valve console
1 x Valve console



56-720000 Spare part kit check valve
1 x Check valve



56-720100 Spare part kit drain with ring
1 x Drain with ring



56-257400 Spare part kit micro switch
1 x Micro switch



56-245500 Spare part kit Air tank
1 x Air tank
2 x Tank belt



56-721500 Spare part kit Compressor
1 x Compressor



56-721400 Spare part kit fitting
2 x Fitting Ø6
2 x Fitting M22x1,5
1 x Drain
1 x Plug M22x1,5



56-721100 Spare part kit Valve block
1 x Valve block
2 x Screw
2 x Nut
4x Washers



56-245400 Spare part kit fitting (Compressor 56-245200)
1 x Fitting 90° 1/8"
1 x 1/8" Check valve
1 x Fitting 1/4"-1/8"
3 x Rubber foot
3 x Nuts M4
1 x T-joint 1/8"NPT



56-721200 Spare part kit Air fitting and hoses
1 x Air fitting and hoses



56-721300 Spare part kit Rubber bushings
3 x Rubber bushings
3 x Brass insert
6 x Washer
3 x Nut M5
3 x Screw



56-257200 Power manometer

Connect the Power manometer together with the compressor kit to show the current air pressure in the Onspot system. A valve is fitted on the Power manometer bracket in order to fill with air or connect compressed air when parking so that the system always has the correct working pressure. There is also a recess to install the Onspot button.



56-704100 1 x Automatic drain valve kit for air tank

