

Product Range

2026/1




This is Onspot!


The Onspot system is basically a simple and very reliable concept. It is a wheel fitted with several chains that is lowered and held towards the driving wheels. When the chain wheel rotates the chains are placed under the driving wheels to increase traction.

Onspot is engaged only when needed – up to 50km/h (35mph) without having to stop the vehicle. It works whether you are accelerating, braking or in a loss of traction situation. When engaged traction is obtained in forward or reverse.

Onspot is conveniently engaged and disengaged by pressing a button on the dashboard. It is a trouble-free and ever-present solution for avoiding delays due to slippery road conditions.



Operation



Resting position

Working position

A complete Onspot consists of:

Onspot kit

The Onspot kit contains of two cylinders and one Valve kit. The correct kit for your vehicle is included in the Onspot kit, ready to plug in.



Cylinder kit



Valve kit

Vehicle bracket kit

The bracket has a high-quality corrosion resistance through electrolytic pre-treatment. Depending on your vehicle there are differences. The Onspot kit will be supplied with the correct brackets and arms for your specific vehicle.



Vehicle bracket kit



Switch kit

Switch kit

A complete switch kit that correspond to the design of the other switches in your vehicle.

Wheel kit

A chain wheel kit is included in the Onspot kit. There are different spare wheels available which differ by number of chain strands or steel quality.



6 chains

6 chains
sparkle resis-
tant

12 chains

18 chains

Specification

Operating speed	2–50 km/h
Activation speed	Max 50 km/h
Power supply	12V/24V, 8 A fuse
Pressure requirement	7–10 bar
Weight Onspot 016	10,2 kg/side excl. vehicle bracket
Chains	6, 12 or 18 chains and 6 chains sparkle resistant

Choose your Onspot

At the homepage you will always find the newest models and configurations.

The screenshot shows the Onspot configurator interface. At the top, there is a navigation bar with 'ONSPOT' logo and links for 'WHY ONSPOT', 'KNOWLEDGE', 'THE PRODUCT', 'CONFIGURATOR', 'ABOUT US', 'BLOG', 'FIND US', 'EN - International', and 'CONTACT US'. The main heading is 'Choose your Onspot'. Below this is a list of configuration options, each with a 'CHANGE' button:

- Vehicle brand: DENNIS EAGLE
- Vehicle model: Elite 2
- Axle configuration: 6x2
- Rear axle suspension: Air suspension
- Wheel configuration: Double Wheel
- Tyre dimension: 12/80 R22,5

At the bottom of this list is a 'RESET ALL SELECTIONS' button. Below the configuration list is a 'Wheel kit' section with two options: '12-chairs 56-236506' (selected) and '18-chairs 56-236509'. To the right of the wheel kit options, there is a list of kit numbers: 'Bracket kit: 56-253800', 'Onspot kit: 56-700500', and 'Switch kit: 56-241012'. Below this is an 'Installation instructions' section with a download icon and the text 'Installation Instructions 56-253800'. At the bottom right, there are two buttons: 'Send to Onspot' and 'Send to myself'.

Please, visit www.onspot.com and choose [Configurator](#).

From here you can e-mail the configuration to yourself or to Onspot for further requests

The Onspot ADR Valve Box

The electrical parts of an Onspot system have gotten an ADR Freigabe. It is issued by the German TÜV authorities.

This document makes it possible to register vehicles, with Onspot, according to the ADR regulation.

The VdTÜV certificate certifies that Onspot ADR valve box meets the requirements for installation outside zones 0 and 1 on vehicles of type EX/II, EX/III, AT, FL and OX.

Since before it is also certified according the UNECE R10 regulations.

The ADR Freigabe you can download on the homepage of Onspot.

When choosing an ADR vehicle, 56-700500 shall be replaced by cylinder kit 56-700501 and valve box 56-320104.



Onspot fits the following vehicles:

DAF	5	TGM	22	SETRA	45
CF Euro 6	6	TGM Euro 6	23	TATRA	46
LF Euro 6	6	TGS	23	2T5RA3	46
XF Euro 6	6	TGX	26	TERBERG	47
XG, XG+ Euro 6	7	MERCEDES-BENZ	28	UD TRUCKS	48
CF55	7	Actros New	28	Quon	48
65CF	7	Actros	28	VAN HOOL	49
CF65	7	Antos	29	Altano, Astromega	49
75CF	7	Arocs	29	VDL	50
CF75	8	Arocs 5	29	Futura	50
85CF	8	Atego New	29	VOLVO	51
CF85	8	Atego	30	FL	52
LF45	8	Atego 2, Atego 3	30	FL Electric	52
95XF	8	Axor II	30	FL6	52
XF95, XF105	8	Axor 4x2, 6x2	30	FE	52
DENNIS EAGLE	9	Atego S	30	FE Electric	52
Elite 2	9	Econic Bluetec 6	30	FH	52
FORD	10	Econic	30	FH, FM	53
F-Max	10	E-Sprinter	31	FH, FM, FMX	53
Transit	10	Sprinter	31	FH Electric	54
GOLDEN DRAGON	11	Unimog	31	FM Electric	54
Triumph - Electric	11	MITSUBISHI FUSO	33	FMX-E Electric	54
HINO	12	Super Great	33	Buses	54
Profia	12	NEOPLAN	34	VW	56
Ranger	12	Cityliner	34	Crafter	56
S'elega	12	Euroliner	34	YUTONG	57
ISUZU	13	Skyliner	34	U10, U12, U13	57
Forward	13	NISSAN	35	IC12e, T12e	57
Giga	13	Atleon	35	IC15e, T14e, T15e	57
Gigamax	13	BIG Thumb	35	Table of tyre dimensions	58
IVECO	14	NV 400	35	Onspot	59
Crossway	14	OPEL	36	Onspot 016	59
Daily	14	Movano	36	Onspot 012	60
E-Daily	15	RENAULT	37	Arms	61
Eurocargo	15	D-Wide 18 tonn	37	Electrical and air	63
Eurostar	16	Range -C	37	Switches	64
Eurotech	16	Range -D	37	Wheels	65
Stralis	16	Range -T	38	Cylinders, Cylinder brackets	66
Trakker	16	Mascott DXI 160	38	Arms	67
X-Way	16	Master	38	Arms with bearing cups	67
MAFI	17	Midlum DXI	38	Electrical and air kit	68
MAN	18	Midlum	38	Compressor	69
Buses	18	Premium, Magnum DXI	38	air compressor kit 12V	69
E2000	18	Premium DXI	38	Accessories	70
eTGS	19	Premium, Magnum	38		
eTGX	19	Kerax DXI	39		
F2000	19	Master	39		
L2000	19	ROSERO	40		
M2000L	19	Iveco chassis	40		
M2000M	19	SCANIA	41		
TGA	20	Generation 6	41		
TGE	21	4-series	44		
TGL	21	Buses	44		

Note! Older models, not included in this list can also be equipped with Onspot.

How to read the vehicle specification:

45LF _____ Vehicle model

4x2 _____ Axle configuration

45 130, 45 150, 45 160, 45 180, 45 180 – Vehicle type

Leaf suspension _____ Rear axle suspension

Key to the list for DAF

In the list there are two basic types: 4x2 and 6x2.

Other types same as 4x2 are: FA, FT, FAG, FTG, FAB, FAV.

Same as 6x2 are:

FAS, FAR, FAC, FTR, FTS.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509


Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508


When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Rigid chassis

 = Driving axle



Tractor chassis



CF Euro 6

FA

Leaf suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 Applies up to and including year
 model 2016

FA

Leaf suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 From year model 2017.

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 Applies up to and including year
 model 2016

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.
 From year model 2017.

FA, FT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • FA: 4x2 rigid
 • FT: 4x2 tractor
 Applies up to and including year
 model 2016.

FA, FT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500

Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • FA: 4x2 rigid
 • FT: 4x2 tractor
 From year model 2017.

FAT, FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 Applies up to and including year
 model 2016.

FAT, FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 From year model 2017.

FAN, FAQ, FTS

Vehicle bracket kit: 56-260000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70 22.5" or larger.
 FAN: 6x2 steered trailing axle
 FAQ: 8x2 tridem, second rear axle
 driven
 • FTS: 6x2 fixed trailing axle

LF Euro 6

FA

Air suspension 14-16 ton

Vehicle bracket kit: 56-704800
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 285/70 R19.5" or larger.

FA

Leaf suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.

FA

Air suspension 8-12 ton

Vehicle bracket kit: 56-236700
 Switch kit: 56-241022

Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 R17.5" or larger.

FA

Truck

Air suspension 4 bellows

Fuel: Diesel
 Vehicle bracket kit: 56-769700
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 285/70 R19.5".

XF Euro 6

FA

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • FA: 4x2 rigid
 Applies up to year model 2016.

FA

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • FA: 4x2 rigid
 From year model 2017.

FAN, FAQ, FTS

Vehicle bracket kit: 56-260000
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70 22.5" or larger.
 FAN: 6x2 steered trailing axle
 FAQ: 8x2 tridem, second rear axle
 driven
 • FTS: 6x2 fixed trailing axle
 Applies up to year model 2016.

FAQ, FTS

Vehicle bracket kit: 56-260000
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70 22.5" or larger.
 FAQ: 8x2 tridem, second rear axle
 driven
 • FTS: 6x2 fixed trailing axle
 From year model 2017.

FAN

Vehicle bracket kit: 56-763000
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/70 22.5".
 6x2 steered trailing axle
 From year model 2017.

FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 Applies up to year model 2016.

FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 From year model 2017.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 Applies up to year model 2016.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 • FT: 4x2 tractor
 From year model 2017.

XG, XG+ Euro 6

FT

Chassis: Low

Air suspension

Vehicle bracket kit: 56-755600
 Switch kit: 56-749000
 Onspot kit: 56-700500
 Wheel kit: 170mm 12 or 18 chain
 Fits vehicles with tyre dimension 295/60 22.5".
 • If there is an air tank mounted at the rear of the frame this may need to be relocated.

FTG and FTP

Fuel: Diesel

Air suspension

Vehicle bracket kit: 56-755600
 Onspot kit: 56-700500
 Switch kit: 56-749000, mounted in DAF panel 2303546 or 2254833
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/55 22.5".

- If there is an air tank mounted at the rear of the frame this may need to be relocated.

FTS (6x2)

Vehicle bracket kit: 56-260000
 Switch kit: 56-749000
 Onspot kit: 56-700501
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/70 22.5" or larger.

- The switch must be mounted in DAF aftermarket switch panel. DAF part no 2303546 or 2254833

CF55

4x2

55.150, 55.160, 55.180, 55.210, 55.230

Air suspension

4 bellows, 18 tonnes and heavier

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

4x2

55.150, 55.160, 55.180, 55.210, 55.230

Leaf suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 215/75 17.5" or larger.

65CF

4x2

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

CF65

4x2

65.180, 65.210, 65.240

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

75CF

4x2

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF75

4x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

85CF

4x2

85.340, 85.380, 85.430

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF85

4x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

LF45

4x2

45 130, 45 150, 45 160, 45 180, 45 210

Leaf suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 17.5" or larger.

Air suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 17.5" or larger.

95XF

4x2

Air suspension

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

XF95, XF105

4x2

95.380, 95.430, 95.480, 95.530

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

95.380, 95.430, 95.480, 95.530,

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

- It may be necessary to move the air tank when installing on an XF105 trailer truck, 56-246700.

How to read the vehicle specification:

Elite 2 _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Elite 2

4x2, 6x2

Air suspension

Vehicle bracket kit: 56-253800
 Switch kit: 56-241012
 Onspot kit: 56-700500
 Wheel kit : 170

Fits vehicles with tyre dimension 315/70 R22.5" or larger.

- *12 or 18-chain wheels should be used.*
- *Twin wheel*

How to read the vehicle specification:

Transit _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

F-Max

4x2

Chassis height: N

2 bellows air suspension

Vehicle bracket kit: 56-745500
 Onspot kit: 56-700500
 Switch kit: Will come later
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5 or larger.

Transit

Leaf suspension

Vehicle bracket kit: 56-703200
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension
 185/75 R 16 or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*
- *A re-arrangement of the exhaust pipe can be necessary.*

How to read the vehicle specification:

Triumph - Electric _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Triumph - Electric

4x2

Chassis: Normal floor

Air suspension

Vehicle bracket kit:	56-751100
Switch kit:	56-241023
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
 315/70-22,5" or larger.

Fits vehicles with tyre dimension
 11R 22,5" or larger.

How to read the vehicle specification:

Profia _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170
 6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190
 6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Profia

Tractor 4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-238400
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- *Cannot be fitted on 6x2 with running axle behind the drive axle.*
- *12-chain wheels should be used.*
- *From year model 2004.*

Rigid

Air suspension, 4 bellows

Vehicle bracket kit: 56-718500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Rigid

Leaf suspension, 4 bellows

Vehicle bracket kit: 56-728500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Ranger

Rigid 4x2

Leaf suspension

Vehicle bracket kit: 56-737900
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension 265/70R19,5

S'elega

4x2

Air suspension

Vehicle bracket kit: 56-723001
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 11R 22,5" or larger.

How to read the vehicle specification:

Gigamax _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Forward

Rigid 4x2

Air suspension

Vehicle bracket kit: 56-739100
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 265/70R19,5

Giga

4x2,

Air suspension

Vehicle bracket kit: 56-255500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 11R 22,5" or larger.

6x4,

Leaf suspension

Vehicle bracket kit: 56-742700
 Onspot kit: 56-700500
 Wheel kit: 190
 Switch kit: Not included
 Fits vehicles with tyre dimension 11R 22,5".

Truck

8x4

Fuel: Diesel
Chassis: Low floor
Air suspension

Vehicle bracket kit: 56-764400
 Onspot kit: 56-700500
 Wheel kit: 170
 Switch kit: Not included
 Fits vehicles with tyre dimension 245/70R19,5

6x2,

Leaf suspension

Vehicle bracket kit: 56-735500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 11R 22,5" or larger.

Gigamax

4x2, 6x2, 6x4

Air suspension, 4 bellows

Applies from year model 2003

Vehicle bracket kit: 56-756800
 Onspot kit: 56-700500
 Switch kit: Will come later
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/80-22,5" or larger.

How to read the vehicle specification:

Eurocargo 4x2, 4x4

60 E 10-14

65 E 10-14

75 E 12-15

80 E 15-21

Leaf suspension

450617

M 22x1,5

Vehicle model,
Axle configuration

Vehicle type

Rear axle suspension

Rear axle type

Clamp thread

Key to the list for IVECO

P	Air suspension
T	Tractor
W	All wheel drive
MT	Middle Class
MP	Heavy Class
LD	Eurostar
S	Stralis

* Alternatively part no air kit 56-196002.

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Crossway

LE

4x2, 6x2

Air suspension

Vehicle bracket kit:	56-753100
Switch kit	Will come later
Onspot kit:	56-700500
Wheel kit:	190 / 12 or 18 chains
Fits vehicles with tyre dimension 275/70 R22,5" or larger.	

NF

4x2

Air suspension

Vehicle bracket kit:	56-753100
Switch kit	Will come later
Onspot kit:	56-700500
Wheel kit:	190 / 12 or 18 chains
Fits vehicles with tyre dimension 275/70 R22,5" or larger.	

Daily

29 L, 35 S

Leaf suspension M16x1,5

Vehicle bracket kit:	56-247200
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 215/60 R16" or larger.	
• <i>Single wheel</i>	
• <i>12 or 18-chain wheels should be used.</i>	
• <i>From year model 2007.</i>	

29 L, 35 S

Leaf suspension M14x1,5

Vehicle bracket kit:	56-264300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 225/70 R15" or larger.	
• <i>Single wheel</i>	
• <i>12 or 18-chain wheels should be used.</i>	
• <i>From year model 2007.</i>	

35 S

4x2

Leaf suspension Electric handbrake

Vehicle bracket kit:	56-264300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• <i>From year model 2021.</i>	
• <i>Spring bolt threads M14x1,5.</i>	

50C

4x2,

Leaf suspension

Vehicle bracket kit:	56-741400
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	

65C

Leaf suspension

Vehicle bracket kit:	56-254000
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 225/75 R16" or larger.	

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

65C**Air suspension**

Vehicle bracket kit:	56-259800
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

4x2**Air suspension****Electric handbrake****Fuel: Diesel and gas**

Vehicle bracket kit:	56-772300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

70C**Air suspension**

Vehicle bracket kit:	56-259800
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

4x2**Air suspension****Electric handbrake****Fuel: Diesel and gas**

Vehicle bracket kit:	56-772300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

Leaf suspension

Vehicle bracket kit:	56-254000
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

72C**4x2****Air suspension****Electric handbrake**

Vehicle bracket kit:	56-259800
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16".

E-Daily**72C****Light truck****4x2****Leaf suspension**

Fuel:	Electric
Vehicle bracket kit:	56-770300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16".

Eurocargo**4x2****60, 65, 75****Euro 6****Air suspension**

Vehicle bracket kit:	56-749300
Switch kit	56-241018
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 225/75 R17,5" or larger.

60 E xx, 65 E xx, 75 E xx, 80 E xx, 80 EL xx, 90 E xx, 100 E xx, 120 E xx**Air suspension, 2 bellows**

Vehicle bracket kit:	56-253200
Switch kit	56-241002
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *Applies up to and including year model year 2007*

75 E xx, 80 E xx, 90 E xx, 100 E xx**Air suspension, 2 bellows**

Vehicle bracket kit:	56-253200
Switch kit	56-241018
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *From model year 2008*

120, 120 xxxL**Air suspension****Euro 6****Twin wheel**

Vehicle bracket kit:	56-742000
Onspot kit:	56-700500
Switch kit:	56-245400
Wheel kit:	170

Fits vehicles with tyre dimension 265/70- 17,5"

Threads M20x2,5

120 E xx**Air suspension, 2 bellows****11/41 23N07, M22x1,5****Disc brakes**

Vehicle bracket kit:	56-240800
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70- 19,5" till 315/70- 22,5".

Wheel kit: 190

Fits vehicles with tyre dimension 10-22,5" or larger.

150 E xx**Leaf suspension****R 167****M22x1.5****Drum brakes**

Vehicle bracket kit:	56-237200
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/70- 22,5" or larger.

150 E xx, 130 E xx**Leaf suspension****R 167****M22x1.5****Disc brakes**

Vehicle bracket kit:	56-239400
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60- R22,5" or larger.

150 E xx, 130 E xx

Leaf suspension
R 167

M22x1.5

Disc brakes

Vehicle bracket kit: 56-240800
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
275/70- 19,5" to 305/70- R19,5"

Eurocargo 4x4

110e25

Leaf suspension

Vehicle: Truck
Fuel: Diesel
Chassis: Rigid

Vehicle bracket kit: 56-773000
Onspot kit: 56-700500
Switch kit: Will come later
Wheel kit: 190
Fits vehicles with tyre Super single
365/80R20

140 E xx W

Leaf suspension
Single wheel

42117806

M 22x1,5

Vehicle bracket kit: 56-238100
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
295/80- R22,5" or larger.

140 E xx W

Leaf suspension
451146/1

M 22x1,5

Vehicle bracket kit: 56-236900
Onspot kit: 56-700500
Wheel kit:

190 Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

Eurostar 4x2, 4x4

LD 190 E xx, LD 440 E xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Eurostar 6x2

LD 260 E xx, LD 440 E xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

Eurotech 4x2

MT 180 Exx, MT 400 Exx

Air suspension

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

MP, MH 190 E xx MP, MH 440 E xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Eurotech 6x2

MP, MH 260 E xx MP 440 E xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis 4x2, 4x4

AS 190 S xx, AS 440 S xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis 6x2

AS 260 S xx, AS 440 S xx

Air suspension
U1177E

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger

Stralis Euro 6

4x2, 4x4, 6x2

Air suspension

Vehicle bracket kit: 56-715300
Switch kit: 56-241018
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

Trakker 4x4

MP 190 E xx

Air suspension

Vehicle bracket kit: 56-228701
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

X-Way 6x4

Air suspension

Vehicle bracket kit: 56-740900
Switch kit: 56-739500
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
295/70- 22,5" or larger.

How to read the vehicle specification:

MAFI _____ Vehicle model
R332, R336' _____ Vehicle type
Air suspension _____ Rear axle suspension
Kessler D81 PL478 _____ Rear axle type

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

MAFI

R332, R336

Air suspension

Kessler D81, PL478

Vehicle bracket kit: 56-709400

Onspot kit: 56-700500

Switch kit: 56-241023

Wheel kit: 170

Fits vehicles with tyre dimension 12 R 22,5" or larger.

How to read the vehicle specification:

L2000 _____	Vehicle model
L20, L24 _____	Vehicle type
	The type no. is position 4-6 in the chassis no.
4x2 _____	Axle configuration
Leaf suspension _____	Rear axle suspension
8.xxx L, 9.xxx L, 10.xxx L _____	Vehicle designation
HY-0645, HY-0720, HY-0745 _____	Rear axle
Clamp Ø 18x2 _____	Clamp thread

Key to the list for MAN

A	All wheel drive (4x4, 6x6)
DF/FD	Three axles (6x4)
E	Rear single wheels
F	Front built (4x2)
K	Kipper
L	Air suspension rear
LL	Compl. Air suspension
N	Support axle behind driv. axle (6x2)
S	Tractor
V	Steering axle in front of driving axle (6x2/4)
FFD/VF	Four axles (8x4)

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Buses

Intercity bus R60, R61, R62

Vehicle bracket kit:	56-737000
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

Lion's Coach R08, R09

Fuel:	Diesel
6x2	
Air suspension	
Vehicle bracket kit:	56-773300
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/70-R 22,5" or larger.	

E2000

E42

6x2/4

Air suspension

26.xxx FVLC

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E50, E60

6x6/4, 6x2/4

Air suspension

30.xxx FANLC, 33.xxx DFALC,

AP H9-13120, AP HD9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E51, E61

4x2

Air suspension

19.xxx FLS/M

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E52, E62

4x4

Air suspension

19.xxx FALS

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E53, E63

6x2-4, 6x4-4

Air suspension

26.xxx FNLC

AP H9-13120, HY-13110

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E55, E65

8x4/4, 8x2/4

Air suspension

32.xxx FVNLC

AP H9-13120, AP HD9-13120,

AP H-1175, AP HDY-1175,

AP H9-1380, HY-1175

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-R 22,5" or larger.

E56, E66, E47, E67**6x4/4, 6x6-4, 6x4-4****Air suspension****26.xxx FAVLC, 28.xxx FNALC,****28.xxx FANLC,****AP H9-13120, HY-13110**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E59, E69**6x4/2, 6x2/2****Air suspension****33.xxx DFLS, 30.xxx FNLC,****AP H9-13120, AP HD9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E73**8x2/4****Air suspension****35.xxx FVNLC****AP H9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

E75, E95**8x4/4****Air suspension****41.xxx DFVLS****AP H9-13120, AP HD9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60-R 22,5" or larger.

eTGS**6x2-2****Air suspension****Chassis: Normal****Fuel: Electric**

Vehicle bracket kit: 56-763600

Switch kit: 56-739000

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

315/60 R 22,5" or larger.

eTGX**6x2-2****Air suspension****Chassis: Normal****Fuel: Electric**

Vehicle bracket kit: 56-763600

Switch kit: 56-739000

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

315/60 R 22,5" or larger.

F2000**T02, T32, T03, T33, T62****4x2****Air suspension****19.xxx FL, 19.xxx FLL, 19.xxx FLS****HY-13110, APH9-13120, APH9-****16120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T05, T35, T06, T36, T07, T37**6x2****Air suspension****23.xxx FNLL, 26.xxx FNL****HY-13110, APH9-13120, APH9-****16120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T08, T38**6x2/4****Air suspension****26.xxx FVL****HY-13110, APH9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

T10, T40, T70**6x2/4****Air suspension****26.xxx DFL****HY-13110, APH9-13120**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

L2000**L34, L36****4x2, 6-cyl motor****Air suspension****8.xxx LL, 9.xxx LL, 10.xxx LL,****HY-0855****Stabilizer in front of the rear axle.**

Vehicle bracket kit: 56-234601

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

205/75-R 17,5" or larger.

M2000L**L88, L89****4x2****Air suspension****18.xxx LL, 18.xxx LLL****HY-1175**

Vehicle bracket kit: 56-226301

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 22,5" or larger.

M2000M**M39, M40****4x2****Air suspension****18.xxx ML, 18.xxx MLL****HY-1175**

Vehicle bracket kit: 56- 226301

Switch kit: 56-241013

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

M42, M43, M44

6x2

Air suspension

25.xxx MNL, 25.xxx MNLL,

25.xxx MVL

HY-1175

Vehicle bracket kit: 56- 226301

Switch kit: 56-241013

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

TGA

H01, H08

4x2/2

Air suspension

18.xxx FLS-TS

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

10-22,5" or larger

H02, H03

4x2/2

Leaf suspension

18.xxx F

AP H9 1352, HY-1350

Vehicle bracket kit: 56-238300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H05, H06

4x2/2

Air suspension

18.xxx FL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

10-22,5" or larger

H09, H10

4x2/2

Air suspension

18.xxx FLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56- 320000

Wheel kit: 190

Fits vehicles with tyre dimension

10-22,5" or larger

H16

6x2/2, 6x2/4

Air suspension. Note! Low-built vehicles with distance between air suspension beam and driveshaft don't fit!

26.xxx BLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

10-22,5" or larger

H17, H18

6x2/2, 6x2/4

Air suspension

26.xxx FNL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H19, H20, H21

6x2/2, 6x2-4

Air suspension

26.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

10-22,5" or larger

H23, H24

6x2/4

Air suspension

26.xxx FVL, 26.xxx FPL

HY-1350, APH9-13120

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70 R 22,5

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger

H25, H26

6x4x/2

Leaf suspension

26.xxx FD, 33.xxx FD

HYD 1370, HPD 1382

APH9-13120, HPD 1353

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H29, H30

6x4x/2

Air suspension

26.xxx FDL, 33.xxx FDL

HYD 1370, APH9-13120

HPD 1353, HPD 1382

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H36, H37, H38, H39

8x4x/4

Leaf suspension

32.xxx FFD, 35.xxx FFD, 41.xxxFFD

HYD 1370, APH9-13120

APH9-16120, HPD 1382

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H40, H41

8x4x/4

Leaf suspension

32.xxx FFDL, 35.xxx FFDL

HYD 1370, HPD 1382

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H48, H49

8x4x/4

Leaf suspension

32.xxx FFD

HYD 1370, HPD 1353, APH9-13120

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H51, H52

4x4/2

Leaf suspension

18.xxx FA

APH9 1352, HY 1350

Vehicle bracket kit: 56-238300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H55, H56

6x6/2

Leaf suspension

26.xxx FDA

HPD 1382, HD9 13120

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H70

4x4

Air suspension

18.xxx FAL

HP 1352

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

H72, H82

6x6/2

Air suspension

26.xxx FDAL, 33.xxx FDAL

HPD 1382

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H73, H92

8x6/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H76, H96

8x8/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R 22,5" or larger.

H85, H86, H87, H89

6x2/2

Air suspension

28.xxx FNL, 28.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension to

10-22,5" or larger.

H88, H90

8x2/4

Air suspension

32.xxx FFNL,

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-

22,5" or larger.

H94, H95

8x4/4

Air suspension

41.xxx FVDLS

HPD 1382, HPD 1682

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/70 R 22,5" or larger.

TGE

Leaf suspension

Twin wheel

Vehicle bracket kit: 56-719500

Switch kit: 56-241012

Air compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

205/75 R16" or larger.

• 12 or 18-chain wheels should be used.

Leaf suspension

Single wheel

Vehicle bracket kit: 56-717500

Switch kit: 56-241012

Air compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

205/75 R16" or larger.

• 12 or 18-chain wheels should be used.

TGL

12D, 14D

4x2

Air suspension

HY-0925

Vehicle bracket kit: 56-770000

Switch kit: 56-739000

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

245/70 R17,5" or larger.

• There may be a need to move the air tank located behind the rear axle.

N03

4x2

Leaf suspension

8.xxx BB

HY-0718

Clamp Ø 16x1.5

Vehicle bracket kit:	56-247400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
225/75 R 17,5" or larger.

N04

4x2

Leaf suspension

10.xxx - 12.xxx

HY-0925

Clamp Ø 16x1.5

Vehicle bracket kit:	56-247400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
225/75 R 17,5" or larger.

N12

4x2

Air suspension

Vehicle bracket kit:	56-770000
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

- *There may be a need to move the air tank located behind the rear axle.*

N13

4x2

Air suspension

Vehicle bracket kit:	56-770000
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

- *There may be a need to move the air tank located behind the rear axle.*

N14

4x2

Air suspension

Vehicle bracket kit:	56-770000
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

- *There may be a need to move the air tank located behind the rear axle.*

N15

4x2

Air suspension

Vehicle bracket kit:	56-770000
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

- *There may be a need to move the air tank located behind the rear axle.*

TGM

16D, 26D

Air suspension 4 bellow

15 xx

HY-1130

Vehicle bracket kit:	56-743600
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
285/70 R19,5" or larger.

N08

4x2

Leaf suspension

18.xxx BB

HY-1133

Vehicle bracket kit:	56-243900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70 -22,5" or larger.

N16

4x2

Air suspension

15.xxx BL

Vehicle bracket kit:	56-259101
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

- *12 or 18-chain wheels should be used.*

N18

Air suspension, 4 bellows

18.xxx BL

Vehicle bracket kit:	56-246100
----------------------	-----------

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N26

4x2

Air suspension

15.xxx BL

Vehicle bracket kit:	56-259101
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

- *12 or 18-chain wheels should be used.*

N28

Air suspension, 4 bellows

18.xxx LL

HY-1133

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

N34

4x4

Air suspension, 4 bellows

13.xxx BL

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

N36

4x4

Air suspension

13.xxx LL

APHP 0928

Vehicle bracket kit:	56-247800
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

- *Twin wheel*

N36

4x4

Air suspension

13.xxx BL

APHP 0728

Vehicle bracket kit:	56-251300
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
365/80 -20" or larger.

- *Singel wheel*

N38**4x4****Leaf suspension****18.xxx****HY-1333**

Vehicle bracket kit:	56-248200
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/80 R 22,5" or larger.	

N44**Air suspension, 4 bellows**
26.xxx BL

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 19,5" or larger.	

N46**Air suspension, 4 bellows**
26.xxx LL

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 19,5" or larger.	

TGM Euro 6**36D****4x4****Air suspension****13.xxx****APHP-0928**

Vehicle bracket kit:	56-247800
Switch kit:	56-739000
Onspot kit:	56-700501
Wheel kit:	190
Fits vehicles with tyre dimension 275/70 R 22,5".	

N08**4x2****Leaf suspension****18.xxx BB****HY-1133**

Vehicle bracket kit:	56-243901
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 -22,5" or larger.	

N16**4x2****Air suspension****15.xxx BL**

Vehicle bracket kit:	56-259102
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 285/70 R 19,5" or larger.	
• 12 or 18-chain wheels should be used.	

N18**Air suspension, 4 bellows**
18.xxx BL

Vehicle bracket kit:	56-246100
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 19,5" or larger.	

N26**4x2****Air suspension**
15.xxx BL

Vehicle bracket kit:	56-259102
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 285/70 R 19,5" or larger.	
• 12 or 18-chain wheels should be used.	

N28**Air suspension, 4 bellows**
18.xxx LL**HY-1133**

Vehicle bracket kit:	56-246100
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 22,5" or larger.	

N34**4x4****Air suspension, 4 bellows**
13.xxx BL

Vehicle bracket kit:	56-246100
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 275/70 R 22,5" or larger.	

N36**4x4****Air suspension**
13.xxx LL**APHP 0928**

Vehicle bracket kit:	56-247800
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 275/70 R 22,5" or larger.	
• Twin wheel	

N36**4x4****Air suspension****13.xxx BL****APHP 0728**

Vehicle bracket kit:	56-251300
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 365/80 -20" or larger.	
• Singel wheel	

N38**4x4****Leaf suspension****18.xxx****HY-1333**

Vehicle bracket kit:	56-248200
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/80 R 22,5" or larger.	

N44**Air suspension, 4 bellows**
26.xxx BL

Vehicle bracket kit:	56-246100
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 19,5" or larger.	

N46**Air suspension, 4 bellows**
26.xxx LL

Vehicle bracket kit:	56-246100
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 19,5" or larger.	

TGS**03S/03E/03F****4x2****Leaf suspension****18.xxx BB****AP HP 1352, HY-1350**

Vehicle bracket kit:	56-238303
Switch kit 03S:	56-241015
Switch kit 03E/03F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/70 R 22,5" or larger.	

06S/06E/06F/06J/06K

4x2

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 06S: 56-241015
 Switch kit 06E/06F/06J/06K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 06S: 56-241015
 Switch kit 06E/06F/06J/06K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

08S/08K

4x2

Air suspension, 4 bellows

18.xxx BL-TS

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 08S: 56-241015
 Switch kit 08K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 08S: 56-241015
 Switch kit 08K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

10S/10F/10K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

13S/13K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

18S/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

21S/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 21S: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 21S: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

22S/22E/22F/22K/22J

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24S/23K

6x2/2

Air suspension, 4 bellows

28.xxx

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24S/24F/24K

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

30S/30E/30F/30K/30J**6x4****Air suspension, 4 bellows****26.xxx BLS****HYD 1370**

Vehicle bracket kit:	56-233904
Switch kit 30S:	56-241015
Switch kit 30E/30F/30K/30J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R 22,5" to 12/70 R 22,5".	

Vehicle bracket kit:	56-230702
Switch kit 30S:	56-241015
Switch kit 30E/30F/30K/30J:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70-22,5" or larger.	

Air suspension**HPD 1352**

Vehicle bracket kit:	56-262800
Switch kit 30S:	56-241015
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/80 R22,5" or larger.

Air suspension**HPD 1382**

Vehicle bracket kit:	56-262800
Switch kit 30S:	56-241015
Switch kit 30E/30F/30K/30J:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R22,5" or larger.

59S**8x6****Air suspension, 4 bellows****35.xxx BLS****HPD-1382**

Vehicle bracket kit:	56-262800
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/80 R22,5" or larger.

71S**6x4H-4****Air suspension, 4 bellows****28.xxx BL****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70 R22,5" or larger.	

73F**8x4H-6****Air suspension, 4 bellows****35.xxx****HY 1350**

Vehicle bracket kit:	56-233904
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70 R22,5" or larger.	

74S**6x2-4****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70 R22,5" or larger.	

80S/80J/80E**4x4****Air suspension, 4 bellows****18.xxx****HP-1352**

Vehicle bracket kit:	56-262800
Switch kit 80S:	56-241015
Switch kit 80J/80E:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
275/80xR22,5" or larger.

84S/84E**6x4-4****Air suspension, 4 bellows****28.xxx****HP-135204**

Vehicle bracket kit:	56-262800
----------------------	-----------

Switch kit 84S:	56-241015
Switch kit 84E:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
275/80xR22,5" or larger.	

89S/89K/89F**6x2-2****28.xxx BL, BLS****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R22,5" to 12/70 R22,5.	

Vehicle bracket kit:	56-230702
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70 R22,5" or larger.	

90S/90F/91F/98F**8x2-4, 8x2-6****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R22,5" to 12/70 R22,5.	

Vehicle bracket kit:	56-230702
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
305/70 R22, 5" or larger.	

92S/92F**8x4-4****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	
295/60 R22,5" to 12/70 R22,5.	

Vehicle bracket kit:	56-230702
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	
295/60 R22,5" or larger.	

TGX

05X/06K

4x2

Air suspension, 4 bellows

18.xxx BL, BLS

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

06X/06F/06J

4x2/2

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 06X:	56-241015
Switch kit 06F/06J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

10X/10K/10F

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 10X:	56-241015
Switch kit 10K/10F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

13X/13K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 13X:	56-241015
Switch kit 13K:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 13X:	56-241015
Switch kit 13K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

15X/13F

4x2

Air suspension, 4 bellows

18.xxx

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 15X:	56-241015
Switch kit 13F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 15X:	56-241015
Switch kit 13F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

18X/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 18X:	56-241015
Switch kit 18F/19F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 18X:	56-241015
Switch kit 18F/19F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

21X/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 21X:	56-241015
Switch kit 20F/21F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 21X:	56-241015
Switch kit 20F/21F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

22X/22K/22J

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 22X:	56-241015
Switch kit 22K/22J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

24X/23K/24K

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx BL

HY-1350

Vehicle bracket kit:	56-233904
Switch kit 24X:	56-241015
Switch kit 23K/24K:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension	295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-763600
Switch kit 24X:	56-241015
Switch kit 23K/24K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension	305/70-22,5" or larger.

30X/30E/30F/30J**6x4****Air suspension, 4 bellows****26.xxx BLS****HYD 1370**

Vehicle bracket kit: 56-233904
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-763600
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

Air suspension**HPD 1382**

Vehicle bracket kit: 56-262800
 Switch kit 30X: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5" or larger.

30K**6x4****Air suspension, 4 bellows****26.xxx, 33.xxx****HY 1370, HYD 1370**

Vehicle bracket kit: 56-233904
 Switch kit: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/70-22,5" or larger.

78X**4x2****Air suspension, 4 bellows****18.xxx BL, BLS****HY-1350**

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-763600
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

89X/89F/89K**6x2-2****28.xxx BL, BLS****HY-1350**

Vehicle bracket kit: 56-233904
 Switch kit 89X: 56-241015
 Switch kit 89F/89K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-763600
 Switch kit 89X: 56-241015
 Switch kit 89F/89K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

92X/92F**8x4-4****Air suspension**

Vehicle bracket kit: 56-233904
 Switch kit 92X: 56-241015
 Switch kit 92F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
 Switch kit 92X: 56-241015
 Switch kit 92F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/60 R22,5" or larger.

How to read the vehicle specification:

Atego 4x2	Vehicle model, Axle configuration
712-823	Vehicle type
Air suspension	Rear axle suspension
97x.00 to 97x.02	Baumuster-number
HL2/43 DC 6,2	Axle type
M16x1.5	Clamp thread
Mercedes-Benz Code	Chains
KYSB - Onspot	18-chains
KYSC - Onspot	12-chains
KYSD - Onspot	6-chains

Key to the list for MERCEDES-BENZ

L	Air suspension
K	Kipper
S	Tractor

Wheel kit 170		MB part nr.
6-chains	56-236503	662 583 14 16
6-chains sparkle resistant	56-236507	
12-chains	56-236506	662 583 10 16
18-chains	56-236509	662 583 12 16
Wheel kit 190		MB part nr.
6-chains	56-236501	662 583 15 16
6-chains sparkle resistant	56-236504	
12-chains	56-236505	662 583 11 16
18-chains	56-236508	662 583 13 16

NOTE! Always check the Baumuster-number. This is the valid number and it determinates the chassi of the vehicle, i.e the designation Atego, Actros etc. is less important. The Baumuster-number is found on the vehicle's frame-beam, inside the right of the frontmost wheel housings and in position 4-6.

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Actros New

4x2, 6x2, 6x4, 8x4

Air suspension

963

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/60 - 22.5" or larger.

Actros

4x2, 4x4, 6x2, 6x4, 6x6

1831-1853, 2531-2553

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 4x4, 6x2

Leaf suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/70 R22.5" or larger.

Actros MP2, MP3

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

930

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Tank bracket kit: 56-238200

Fits vehicles with tyre dimension

315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832-1854, 2032-2054

Leaf suspension

930, 932, 934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension

295/70 R22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

930, 932, 934

HL6, HL7, HL8

MB part nr:	662 583 30 16
Vehicle bracket kit:	56-255100
Onspot kit:	56-700503
Switch kit:	56-241004
Wheel kit:	190

Fits vehicles with tyre dimension 265/80 R22.5" or larger.

Actros MP 5

4x2

Air suspension

963.403

A2E

Vehicle bracket kit:	56-747900
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 315/70 R22.5"

• *Cannot be installed on vehicles with stabilizer bar C6U*

4x2

Air suspension

963.00

A2E

Vehicle bracket kit:	56-748600
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 315/70 R22.5"

• *Can be installed on vehicles with stabilizer bar C6U*

Antos

4x2, 6x2

Air suspension

963

A2E

M24x2

MB part nr:	A 663 583 10 16
Vehicle bracket kit:	56-255900
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 295/60 - 22.5" or larger.

Arocs

4x2, 6x2, 6x4, 8x4/4

Air suspension

964

HL6, HL8

M24x2

MB part nr:	A 663 583 10 16
Vehicle bracket kit:	56-255900
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 295/60 -22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

964

HL6, HL7, HL8

M24x2

MB part nr:	662 583 30 16
Vehicle bracket kit:	56-255100
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 -22.5" or larger.

Arocs 5

4x4

Leaf suspension

964

Vehicle bracket kit:	56-236800
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22.5" or larger.

8x4

Truck

Rigid

Air suspension

964

Fuel: Diesel

Stabilizer bar: C6U, no driving axle

Vehicle bracket kit:	56-255900
Onspot kit:	56-700500
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22.5"

8x4/4

Leaf suspension

964

Vehicle bracket kit:	56-750400
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	170

Fits vehicles with tyre dimension 315/80 R22.5"

• *Can be installed on vehicles with stabilizer bar C6U.*

8x4/4

Leaf suspension

964

Vehicle bracket kit:	56-255100
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22.5"

• *Cannot be installed on vehicles with stabilizer bar C6U.*

Atego New

4x2

1216-1530

Air suspension

967

A9/HL4

M24x2

Vehicle bracket kit:	56-749300
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 265/70 R19.5" or larger.

• *Stabilizer under the cardan shaft.*

4x2

Leaf suspension

967

HL4/40DC 10.8

M18x1,5

Vehicle bracket kit:	56-712600
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	190

Fits vehicles with tyre dimension 335/80 R20" or larger.

• *Single wheel*

4x2

Air suspension

967x27

Axle: A2L

Vehicle bracket kit:	56-749300
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	170

Fits vehicles with tyre dimension 265/70 R19.5" or larger.

4x2

Air suspension

967x28

Axle: A2C

Vehicle bracket kit:	56-744500
Onspot kit:	56-700503
Switch kit:	56-241019
Wheel kit:	170

Fits vehicles with tyre dimension 245/70 R17,5" or larger.

4x4, 4x2

Leaf suspension

967

A2L

M18x1,5

MB part nr:	A 663 583 18 16
Vehicle bracket kit:	56-258700
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 295/70 R22.5" or larger.

Atego

Atego 2

4x2

Air suspension

97x

HL4

M22x1.5

MB part nr:	A 663 583 16 16
Vehicle bracket kit:	56-232601
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 265/70 R19,5" or larger.

- Stabilizer under the cardan shaft.

Atego 2, Atego 3

4x2

1214-1529

Air suspension

970.25 to 970.28

A9/HL4

M24x2

MB part nr:	A 663 583 17 16
Vehicle bracket kit:	56-749300
Switch kit:	56-241005
Onspot kit:	56-700503
Wheel kit :	170

Fits vehicles with tyre dimension 265/70 19,5" or larger.

- Stabilizer under the cardan shaft.

Axor II

4x2, 6x2/4

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit:	56-231502
Switch kit:	56-241005
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 315/60R22.5" or larger.

4x2

Leaf suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit:	56-236800
Switch kit:	56-241016
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22.5" or larger.

Axor 4x2, 6x2

Atego S

1835-1843, 2535-2543

Air suspension

944

HL6 / HL7

M24x2

Vehicle bracket kit:	56-231502
Switch kit:	56-241005
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

Econic Bluetec 6

4x2

Air suspension

956

HL6/HL8

M24x2

MB part nr:	A 663 583 10 16
Vehicle bracket kit:	56-255900
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 295/60 - 22.5" or larger.

Econic

4x2, 6x2

1823-2628

Air suspension

95x

HL7/HL8

M24x2

MB part nr:	A 662 583 20 16
Vehicle bracket kit:	56-231502
Switch kit:	56-241005
Onspot kit:	56-700503
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

e-Actros

4x2, 6x2, 6x2/4

983

A2S

Air suspension

Vehicle bracket kit:	56-255900
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 295/60 R22.5" or larger.

- Cannot be installed on vehicles with stabilizer bar C6U

4x2, 6x2, 6x2/4

983

A2S

Air suspension

Vehicle bracket kit:	56-748300
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

- Can be installed on vehicles with stabilizer bar C6U.

6x2

Chassis: 983.020

Air suspension

Vehicle bracket kit:	56-255900
Switch kit:	56-241019
Onspot kit:	56-700503
Wheel kit:	170

Fits vehicles with tyre dimension 295/60 R22.5" or larger.

- Cannot be installed on vehicles with stabilizer bar C6U

e-Econic

4x2, 6x2, 6x2/4

956

A2S

Air suspension

Vehicle bracket kit:	56-255900
Switch kit:	56-241019
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 295/60 R22.5" or larger.

- Cannot be installed on vehicles with stabilizer bar C6U

4x2, 6x2, 6x2/4

956

A2S

Air suspension

Vehicle bracket kit:	56-748300
Switch kit:	56-241019
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

- Can be installed on vehicles with stabilizer bar C6U.

E-Sprinter

Light Truck

4xxx

4x2

Fuel: **Electric**

Leaf suspension

907.xxx

Vehicle bracket kit:	56-767200
Switch kit:	56-241012
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

Sprinter

2xx, 3xx, 4xx

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit:	56-722000
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/70 R15" or larger.

- Single wheel
- 12 or 18-chain wheels should be used.

3xx

Air suspension: VB

906xxx, 907xxx

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/70 R15" or larger.

- Single wheel
- 12 or 18-chain wheels should be used.

Light Truck

3xx

4x2

Leaf suspension

907xxx

Fuel: **Diesel**

Vehicle bracket kit:	56-722000
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16"

4xx

4x2

Air suspension: VB

907xxx

Vehicle bracket kit:	56-739800
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- Single wheel
- 12 or 18-chain wheels should be used.
- A re-arrangement of the exhaust pipe can be necessary.

5xx

4x2

Air suspension: VB

906xxx

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- Twin wheel
- 12 or 18-chain wheels should be used.
- A re-arrangement of the exhaust pipe can be necessary.

5xx

4x2

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- Twin wheel
- 12 or 18-chain wheels should be used.
- A re-arrangement of the exhaust pipe can be necessary.

Light Truck

5xx

4x2

Air suspension: VB

907xxx

Vehicle bracket kit:	56-762500
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 205/75 R16" or larger.

5xx

4x4

Leaf suspension

906xxx

Vehicle bracket kit:	56-247000
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- Twin wheel
- 12 or 18-chain wheels should be used.
- A re-arrangement of the exhaust pipe can be necessary.
- Move spare wheel under floor behind the axle.

Unimog

U 300, 405.100, 405.120

U 400, 405.102, 405.122

Onspot kit:	56-700500
Vehicle bracket kit:	56-237000
Wheel kit:	190

Fits vehicles with tyre dimension 12,5 R20 Ø 1040 or larger.

- Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.

U 435, U 534

Truck

4x4

Fuel: Diesel
Chassis no: U435: 405.116
U535: 405.224

Coil suspension

Vehicle bracket kit: 56-766900
Onspot kit: 56-700500

Switch kit: 56-241019
Chain wheel: 56-726300 (long)

Single tyre.

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

U 500, 405.200, 405.220

Onspot kit: 56-700500
Vehicle bracket kit: 56-237100
Switch kit: 56-241005
Wheel kit: 190

Fits vehicles with tyre dimension 12,5
R20 Ø 1040 or larger.

- *Onspot for Unimog equipped with hydraulic arms for agricultural implament is not available for the moment.*

How to read the vehicle specification:

Super Great _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

Super Great

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-238500
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 275/80-22,5" or larger.

- 12-chain wheels should be used.

6x2

4 air bellows

Vehicle bracket kit: 56-758300
 Onspot kit: 56-700500
 Wheel kit: 190
 Switch kit: Use original

Fits vehicles with tyre dimension
 11R22,5" / 315/80-22,5".

6x4

Truck

Rigid

FY

Air suspension

Fuel: Diesel
 Vehicle bracket kit: 56-768300
 Onspot kit: 56-700500
 Wheel kit: 170
 Switch kit: Use original
 Fits vehicles with tyre dimension
 245/70 R19,5".

How to read the vehicle specification:

Euroliner _____ Vehicle model
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

Cityliner

P15

Air suspension

Vehicle bracket kit: 56-740700
 Onspot kit: 56-700500
 Switch kit: 56-241015
 Wheel kit: 170

Fits vehicles with tyre dimension
 295/80-22,5" or larger.

Euroliner

Air suspension

Vehicle bracket kit: 56-235401
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/70-22,5" or larger.

- *Disc brake*

Skyliner

P06

Air suspension

Vehicle bracket kit: 56-740700
 Onspot kit: 56-700500
 Switch kit: 56-241015
 Wheel kit: 170

Fits vehicles with tyre dimension
 315/70-22,5" or larger.

- *Air dryer may need to be moved on some older models*

How to read the vehicle specification:

BIG Thumb _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Atleon

4x2

Leaf suspension

Vehicle bracket kit: 56-247600
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 265/70-19,5" or larger.

BIG Thumb

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-232301
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/70-22,5" or larger.
 • 6x2, 6x4 rear-mounting
 • 4x2 front-mounting

NV 400

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension 195/75 R16C or larger.
 • *Twin wheel*
 • *12 or 18-chain wheels should be used.*
 • *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension 195/75 R16C or larger.
 • *12 or 18-chain wheels should be used.*
 • *Rear wheel drive.*

How to read the vehicle specification:

Movano _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Movano

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Midlum _____	Vehicle model
4x2 _____	Axle configuration
669- 07 _____	Rear axle type
Leaf suspension _____	Rear axle suspension
M18x1,5 _____	Clamp thread

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

D-Wide 18 tonn

4x2

Electric
Rigid

2 bellow air suspension

Vehicle bracket kit:	56-746100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/80 R22,5".	

Range -C

4x2

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

6x4, 8x4

Leaf suspension

Vehicle bracket kit:	56-238903
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

6x4

Air suspension

Vehicle bracket kit:	56-712800
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

8x4*4

Truck

Fuel: Diesel

Air suspension

Vehicle bracket kit:	56-746100
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5".	

6x4, 6x6, 8x4

Leaf suspension

Vehicle bracket kit:	56-255000
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 295/80 R22,5" or larger.	

4x2, 4x4

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Range -D

3,5t - 7,5t

Leaf suspension

Vehicle bracket kit:	56-266400
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	

10t - 18t

Leaf suspension

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 245/70- 19,5" or larger.	
• For 22,5" wheels, use wheel kit 190.	

10t - 18t

Air suspension

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 285/70- 19,5" or larger.	

4x2

7,5t

Model designation: Truck
Fuel: Diesel

Air suspension

Vehicle bracket kit:	56-757900
Onspot kit:	56-700500
Wheel kit :	170
Switch kit:	Renault original
Fits vehicles with tyre dimension 215/75 R17,5	

4x4

Model designation: D14

Single wheel

Chassis height: High

Leaf suspension

Vehicle bracket kit:	56-748900
Onspot kit:	56-700500
Wheel kit :	170
Switch kit:	56-241010
Fits vehicles with tyre dimension 365/85 R20	

Range -T

4x2, 6x2, 6x2/4

Air suspension M24x2

Vehicle bracket kit:	56-261100
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Mascott DXI 160

Leaf suspension

M16x1,5

Vehicle bracket kit:	56-244700
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 215/75 R16" or larger.	

Master

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-241800
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 195/75 R16C" or larger.	
• <i>Twin wheel</i>	
• <i>12 or 18-chain wheels should be used.</i>	
• <i>Rear wheel drive.</i>	

Midlum DXI

4x2, 6x2

P08120, P08125

Leaf suspension M18x1,5

Vehicle bracket kit:	56-233303
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 215/75- 17,5" or larger.	

4x2, 6x2

P11140, P11145, P11150, P1191

Leaf suspension M20x1,5

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 245/70- 19,5" or larger.	
• <i>For 22,5" wheels, use wheel kit 190.</i>	

4x2, 6x2

P11140, P11145, P11150, P1191, P08120, P08125

Vehicle bracket kit:	56-233702
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 285/70 -19,5" or larger.	

Midlum

4x2, 4x4

P920SLC, P941, P1120SLA, P1121, P1120SLB, P1120SLC

Leaf suspension M20x1,5

Vehicle bracket kit:	56-233501
Onspot kit:	56-700500
Switch kit:	56-241012
Wheel kit:	170
Fits vehicles with tyre dimension 245/70- 19,5" or larger.	
• <i>For 22,5" wheels, use wheel kit 190.</i>	

4x2, 4x4

P1140, P1170

Air suspension M24x2

Vehicle bracket kit:	56-237600
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 265/70- 19,5" or larger.	

Premium, Magnum DXI

4x2, 6x2, 6x2/4

P13170, P13195,

Air suspension M24x2

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60- 22,5" or larger.	
Fits vehicles manufactured from 2006.	

Premium DXI

4x2

P13150, P1391, P13170, P1395, P2191

Leaf suspension M24x3

Vehicle bracket kit:	56-241601
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/70- 22,5" or larger.	
Fits vehicles manufactured from 2006.	

6x4, 8x4

Leaf suspension

Vehicle bracket kit:	56-238903
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 305/70- 22,5" or larger.	

Premium, Magnum

4x2, 6x2, 6x2/4

All rear axles

Leaf suspension M24x2

Vehicle bracket kit:	56-228101
Onspot kit:	56-700500
Switch kit:	56-241012
Wheel kit:	190
Fits vehicles with tyre dimension 315/70- 22,5" or larger.	
Applies up to and including year model 2006.	

Kerax DXI

4x2, 4x4

**P1595, P2695, P3395,
P3396**

Leaf suspension

M24x3

Vehicle bracket kit: 56-241602

Switch kit: 56-241010

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

315/60- 22,5" or larger.

Fits vehicles manufactured from

2006.

6x2, 6x6, 8x4

All rear axles

Leaf suspension

Vehicle bracket kit: 56-255000

Switch kit: 56-241010

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension

295/80 R22,5" or larger.

Master

Leaf suspension

Vehicle bracket kit: 56-254400

Air compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit : 170

Fits vehicles with tyre dimension

195/75- R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Rosero _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Iveco chassis

Daily 70C

Leaf suspension

Vehicle bracket kit:	56-259800
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Does not fit vehicles with low floor.*

How to read the type classification:

R-series

e.g.: R 580 LA 4x2 MNA,
where N denotes chassis height Normal

4-series

e.g.: R 144 LA 4x2 NA 530,
where N denotes chassis height Normal

Rebuilding

To get the Onspot unit in correct position some models with short wheel base (3400 mm - 3800 mm) may demand certain rebuilding such as moving the exhaust box or exchanging the muffler tail pipe, etc.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Axle configurations:



Generation 6

4x4, 4x2

Leaf suspension u-bolts facing down

Vehicle bracket kit:	56-241900
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 275/70 R22,5" or larger.

6x2

Leaf suspension u-bolts facing up

Vehicle bracket kit:	56-738300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5.

4x4

Air suspension, 2 belows

Vehicle bracket kit:	56-230502
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

Chassis height: H, N, S

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-760500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

• If there is a Battery box or air tanks mounted behind the rear axle they may need to be moved.

6x4, 8x4

Parabolic suspension Adblue-tank outside frame.

Vehicle bracket kit:	56-745000
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5".

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam Vehicles with AdBlue-tank outside the frame

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

• Spacer kit 56-745200 also needs to be mounted

Air suspension, 2 belows Vehicles without crossbeam

Vehicles with AdBlue-tank under the frame

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170
Protection plate:	56-750600

Obs! If tank is 73dm³ (73l), use protection plate 56-757800 instead.

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- Spacer kit 56-745200 also needs to be mounted

Chassis height: H

4x4*2

Diesel

Air suspension, 2 belows

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500
Switch kit:	56-710700
Adapter kit:	56-745200
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5"

Adblue tank. Under and outside frame.

Chassis height: L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- Do not fit vehicles with crossbeam.

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- If there is a Battery box or air tanks mounted behind the rear axle they may need to be moved.

Chassis height: N

4x2, 4x4, 6x2, 6x2*4, 6x2/4, 6x4, 6x4*4, 8x2, 8x2*6, 8x2/4, 8x4, 8x4*4

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
AdBlue pump bracket:	56-710700

Fits vehicles with tyre dimension 275/70 R22,5" and 315/60 R22,5".

Wheel kit:
275/70 R22,5": 170 mm
315/60 R22,5": Only 12 and 18 chains

6x4, 8x4

Diesel

Air suspension, 2 belows Rear axle type RB 885

Vehicle bracket kit:	56-719200
Onspot kit:	56-700500
Switch kit:	56-710700
AdBlue pump bracket:	56-710700

Fits vehicles with tyre dimension 275/70 R22,5" and 315/60 R22,5".

Wheel kit:
275/70 R22,5": 170 mm
315/60 R22,5": Only 12 and 18 chains

4x2, 6x2, 6x2*4, 6x2/4, 6x4, 8x2, 8x2*6, 8x2/4, 8x4, 8x4*4

Gas (LNG and CNG)

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	Sesamm6 and Sesamm7
Wheel kit:	170 mm

Fits vehicles with tyre dimension 275/70 R22,5"

- In some cases, there may be a need to create protection for gas pipes or tanks

4x2, 6x2, 6x2*4, 6x2/4, 6x4, 8x2, 8x2*6, 8x2/4, 8x4, 8x4*4

Electric

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	Sesamm6 and Sesamm7
Wheel kit:	170 mm

Fits vehicles with tyre dimension 275/70 R22,5"

- In some cases, there may be a need to create protection for gas pipes or tanks.

4x2, 6x2*4, 6x4*4, Air suspension, 4 belows Adblue tank under and outside frame.

Vehicle bracket kit:	56-760500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190 mm

Fits vehicles with tyre dimension 295/60 R22,5"

Adblue tank. Under and outside frame.

- If there is a Battery box or air tanks mounted behind the rear axle they may need to be moved.

4x2

Electric

Rigid

Air suspension, 2 belows

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/70 R22,5"

6x2, 6x2*4

Tractor

Electric

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 295/80 R22,5"

6x2

Tractor

Gas (LNG)

Rigid

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 275/70 R22,5"

Generation ≤5

4x4, 4x2

Leaf suspension

Vehicle bracket kit:	56-241900
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

4x4

Air suspension, 2 belows

Vehicle bracket kit:	56-230502
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

Chassis height: E

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit:	56-242500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- Do not fit vehicles with crossbeam.

Chassis height: H, N, S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank outside the frame

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank under the frame

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Wheel kit:	170
Protection plate:	56-750600

Obs! If tank is 73dm³ (73l), use protection plate **56-757800** instead.

Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Vehicles with crossbeam

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Wheel kit:	170
Replacement crossbeam:	56-246900

Fits vehicles with tyre dimension 315/60-22,5" or larger.

- Spacer kit 56-745200 also needs to be mounted

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

6x4

Leaf suspension

Vehicle bracket kit:	56-256500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/70 R22,5" or larger.

Chassis height: L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- Do not fit vehicles with crossbeam.

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- Do not fit vehicles with crossbeam or AdBlue-tank outside frame.

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

4-series

Chassis height: L

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belows

Vehicle bracket kit: 56-230101
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
275/70-22,5" or larger.

- Do not fit vehicles with crossbeam.

Chassis height: N

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belows

Vehicle bracket kit: 56-230101
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/60-22,5" or larger.

- Some vehicles are equipped with crossmember ahead of the rear axle, depending on the specification. This should be exchanged against one that is adjusted for Onspot (Part no 56-246900)

Buses

K-chassis

4x2, 6x2, 6x2*4, 8x2

Air suspension

Vehicle bracket kit: 56-711800
Onspot kit: 56-700500
Switch kit: 56-241009
Wheel kit: 170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- Crossmember needs to be moved.
- Oil filter on rear axle needs to be removed, cover included in the kit.

How to read the vehicle specification:

S 517 HDH ————— Vehicle model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

S 517 HDH

Vehicle bracket kit: 56-709500
 Onspot kit: 56-700500
 Switch kit: 56-241019
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-22,5" or larger.

How to read the vehicle specification:

2T5RA3 _____ Vehicle model
4x4 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

2T5RA3

**Rigid
 4x4**

**Chassis: High
 Air suspension**

Vehicle bracket kit: 56-752400
 Switch kit: 56-749000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/80 R22,5".

How to read the vehicle specification:

RT 403 _____ Truck model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

RT 403

Vehicle bracket kit:	56-263600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 325/95-R 24" or larger.	

YT182

Air suspension

Vehicle bracket kit:	56-261900
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

No suspension

Vehicle bracket kit:	56-738600
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

YT193

No suspension

Vehicle bracket kit:	56-743000
Onspot kit:	56-700500
Switch kit:	56-241002
Wheel kit:	190
Rear axle:	Terberg
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

YT222

Vehicle bracket kit:	56-261900
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

YT223

No suspension

Vehicle bracket kit:	56-757100
Onspot kit:	56-700500
Wheel kit:	170
Rear axle kit:	Kessler

Fits vehicles with tyre dimension 11R 22,5" or larger.

Air suspension

Vehicle bracket kit:	56-742600
Onspot kit:	56-700500
Switch kit:	56-241002
Wheel kit:	170
Rear axle kit:	Terberg
Fits vehicles with tyre dimension 295/60 R22,5" or larger.	

How to read the vehicle specification:

4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Quon

Rigid

4x2, 6x2, 6x4

Leaf suspension

Vehicle bracket kit:	56-258000
Onspot kit:	56-700500
Switch kit:	56-241013
Wheel kit:	170

Fits vehicles with tyre dimension
11 R22,5

Rigid

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit:	56-242700
Onspot kit:	56-700500
Switch kit:	56-241013
Wheel kit:	170

Fits vehicles with tyre dimension
11 R22,5

Tractor

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit, before March 2017:	56-232301
from April 2017:	56-242700
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
11 R22,5

How to read the vehicle specification:

Air suspension _____ **Rear axle suspension**

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Altano, Astromega

6x2

Fuel: Diesel

Air suspension

Vehicle bracket kit:	56-753800
Onspot kit:	56-700500
Switch kit:	Use Original
	No.11278989/11207099

Wheel kit: 190

Fits vehicles with tyre dimension
315/80 R22,5" or larger.

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Futura

Vehicle bracket kit:	56-265000
Switch kit:	56-241023
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

How to read the vehicle specification:

_____	Vehicle model
FM, FH _____	Axle configuration etc, see table right
RAD-A4, RAPD-A6, RADT-A6S _____	Type of suspension
RST-AIR _____	Supplementary information
4 bellows, drum brakes	

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Volvo's "Vehicle identification card"

Identify the vehicles' construction by means of the Vehicle identification card that accompanies every new Volvo:

"Wheel suspension and steering"

RAD-L80	4x2 Leaf suspension, rear axle (80mm). Used on FL
RAD-L90	4x2 Leaf suspension, rear axle (90mm). Used on FE, FM and FH
RAD-A2	4x2 Air suspension, rear axle with 2 bellows
RAD-A2R	4x2 Air suspension, rear axle with 2 bellows, reinforced
RAD-A4	4x2 Air suspension, rear axle with 4 bellows
RADT-A4	6x2 Air suspension, bogie with 4 bellows
RAPD-A6	6x2 Air suspension, pusher with 6 bellows
RADT-AR	6x2/8x2 Leaf suspension, A-ride with bogie axle
RADT-A6	6x2 Air suspension, bogie with 6 bellows
RADT-A6S	6x2 Air suspension, bogie with 6 bellows with steering trailing axle
RADT-LA	6x2 Leaf suspension, rear axle with air suspension steering trailing axle behind drive axle
RADD-TR1	6x4/8x4 Leaf suspension, narrow T-ride with two drive axles
RADD-TR2	6x4/8x4 Leaf suspension, wide T-ride with two drive axles
RADD-BR	6x4/8x4 Leaf suspension, B-ride with two drive axles
RADD-A8	6x4/8x4 Air suspension, rear axle with drive axles and 8 bellows
RADT-A8	6x2/8x2 Air suspension, bogie with 8 bellows. Fixed or steering trailing axle behind drive axle
RADDT-12	8x4 Air suspended tridem with two drive axles and a steering trailing axle
RAD-G2	4x2 Air suspensions - 4 Bellows
RADD-G2	6x4/8x4 Tandem with Air suspension - 8 Bellows
RADDT-G2	8x4 Tandem with Steering tag axle - Air suspension - 12 Bellows

"Power transmission"

RACAS-WE	Welded rear axle housing
RACAS-CA	Moulded rear axle housing

"Brake"

BRAKE-ZV	Drum brake
BRAKE-DV	Disc brake

"Frame, Springs, Damping and Wheels"

RST- AIR	Old type of suspension
RST- AIR2	GRAS suspension
RST- PAR	Parable suspension
RST- MUL	Trapeze suspension (conventional)
VW 2300	Truck width 2300 mm
VW 2550	Truck width 2550 mm
VW 2600	Truck width 2600 mm

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

FL

RAD-KR

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

RAD-L80

VW2600, VW2550

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 245/70-19,5" or larger.

- For 22,5" wheels, use wheel kit 190
- From year model 2007.

RAD-A2, RAD-A2V

VW2600

Vehicle bracket kit:	56-757900
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70-19,5" to 245/70-19,5".

RAD-A2, RAD-A2V

VW2600

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/80-22,5 to 285/70-19,5".

RAD-A2R

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

FL Electric

RAD-A2V

2-bellows air suspension

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Cover kit:	56-746000
Wheel kit:	170

Fits vehicles with tyre dimension 285/70 R19,5" or larger.

FL6

FL 6L-medium

2-bellow suspension

Air suspension VW2600, VW2550

Disc brakes

Vehicle bracket kit:	56-230801
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 235/75-17,5" or larger.

- For tyres smaller than 285/70-19.5" use 170-wheel, otherwise use 190-wheel.
- Tyres 295/70-22.5" and larger require supplementary kit 56-231700.
- 12-chain wheels should be used.
- From year model 2000.
- Applies up to and including year model 2006.

FL 6E-medium

RST-PAR

Leaf suspension

Disc brakes

Vehicle bracket kit:	56-241600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

4-bellow air suspension

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-22,5" or larger.

FE

RAD-A2R

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

RADT-A4

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

RAD-KR , RADT-KR

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

FE Electric

RAD-KR

Rigid

2-bellows air suspension

Vehicle bracket kit:	56-746100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/80-22,5".

RADT-KR

2-bellows air suspension

Vehicle bracket kit:	56-746100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/80-22,5".

FH

RADT-GR

Fuel: Diesel

Chassis: N

Stabilizer: ARSTA-FR

Air suspension

Vehicle bracket kit:	56-737600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5".

RADT-GR

Fuel: LNG

Chassis: N

Stabilizer: U-ARSTA (Standard)

Rigid

Air suspension

Vehicle bracket kit:	56-25360
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5".

There may be necessary to make protection plate on some vehicles.

FH, FM**RADD-GR**

Vehicle bracket kit:	56-737600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 385/65 R22,5" or larger.

FH, FM, FMX**RAD-G2, RADD-G2, RADD-T-G2**

Vehicle bracket kit:	56-707600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/ 80 R22,5" or larger.

RADT-GR, RADD-GR, RADD-T-GR, RAPDT-GR

Vehicle bracket kit:	56-253600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.

RAPDD-GR

Vehicle bracket kit:	56-253600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.

- Air tank may need to be moved

RAD-GR**Tractor**

Vehicle bracket kit:	56-257600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.

- When mounted on vehicles with BBOX-EF, it may be necessary to relocate the air tank which is mounted underneath the batteries.
- When mounted on vehicles with BBOX-L need the brackets on the 50-litres tank mounted on the end beam be replaced with brackets in the kit 56-704700.

Rigid

Vehicle bracket kit:	56-261300
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.

RAPD-GR

Vehicle bracket kit:	56-257600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.

RAD-L90**RST-PAR**

Vehicle bracket kit:	56-258000
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

- From year model 2014 (FH/FM version 4)

Vehicle bracket kit:	56-258000
Switch kit:	56-241006
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

- From year model 2007 up to and including year model 2013

RAD-L90, RADT-LA**RST-PAR, disc brakes**

Vehicle bracket kit:	56-241600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

- Applies up to and including year model 2007

RADD-TR1, RADD-TR2

Vehicle bracket kit:	56-255000
Switch kit:	56-241006
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R11,5" or larger.

RADD-BR**RACAS-CA**

Vehicle bracket kit:	56-238900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/70-22,5" or larger.

RAD-A4, RAPD-A6**RST-AIR**

Vehicle bracket kit:	56-228901
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- It may be necessary to move the air tanks when fitting using a pusher shaft.

RADT-A8, RADD-A8, RADD-T12**RST-AIR2**

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- On RADT-A8 trucks the 50-litres tank behind the steering axle must be moved to a crossbeam behind the running axle or outside the truck's frame.
- On RADT-A8 tractors the 50-litres tank behind the drive axle must be moved and remounted using tank bracket kit 56-236600.

RAD-A4, RAPD-A6, RADT-A6S**RST-AIR2**

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- Suits vehicles with cardan PROPS-LE and tyre dimensions 315/70-22.5" or larger.

RADT-A6, RADT-A8, RADD-A8**RST-AIR, Drum brakes**

From ch. no. A273949, 1 820289, B 185922

2 air tanks beneath the crossbeam

Vehicle bracket kit:	56-230301
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- Air tanks must be moved.

1 air tanks beneath the crossbeam

Vehicle bracket kit:	56-231001
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- Air tanks may need to be moved.

FH Electric

RAD-G4

Tractor

Chassis: N

Air suspension

Stabilizer: **Standard**

Vehicle bracket kit: 56-710200

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 315/70 R22,5".

- On tractor with 2 tanks in the rear, one tank must be removed or re-placed.

RADD-GR

Truck

Air suspension

Stabilizer: **U-ARSTA (standard)**

Vehicle bracket kit: 56-747200

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 275/80 R22,5" or larger.

RADT-GR

Air bellows

Stabilizer: **Standard**

Vehicle bracket kit: 56-747200

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 315/70 R22,5".

FM Electric

RAD-GR

Rigid

RST-AIR2

Vehicle bracket kit: 56-261300

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 275/80 R22,5"

RADT-GR

Air bellows

Stabilizer: **Standard**

Vehicle bracket kit: 56-747200

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 315/70 R22,5".

FMX-E Electric

RADT-GR

Chassis: N

Air suspension

Stabilizer: **Standard**

Vehicle bracket kit: 56-253600

Switch kit: 56-241020

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 295/80 R22,5"

Buses

8900 Electric

Fuel: **Electric**

Air suspension

Vehicle bracket kit: 56-772700

Switch kit: 56-718300

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 315/70-22,5" or larger.

B10-M, B10-B, B12

Air suspension

Vehicle bracket kit: 56-232001

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 315/70-22,5" or larger.

- On 6x2 it might be necessary to move the air tanks.
- 12-chain wheel should be used on vehicles with chassisnumber lower than 10558.

B12M, B12B, B12BLE

Disc brake

Air suspension

Vehicle bracket kit: 56-235901

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- 12-chain wheels should be used.

B7R Mk II

Disc brake

Air suspension

Vehicle bracket kit: 56-242700

Switch kit: 56-241013

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R

Air suspension

Vehicle bracket kit: 56-714100

Switch kit: 56-241021

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R, B8RLE

4x2

Air suspension

Vehicle bracket kit: 56-717200

Switch kit: 56-718300

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

B8R

6x2

Air suspension

Vehicle bracket kit: 56-752000

Switch kit: 56-718300

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

- Replace the bracket for the EBS-valve with 56-718400.
- Pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction.

B11, B13

Air suspension

Vehicle bracket kit: 56-258500

Switch kit: 56-241021

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

B13R

RAD-A4 (6x2) TA-HYDRS

Air suspension

Vehicle bracket kit: 56-752000

Switch kit: 56-718300

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

- Replace the bracket for the EBS-valve with 56-718400.
- Servo pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction

RAD-A4 (4x2)**Air suspension**

Vehicle bracket kit:	56-752000
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- *Replace the bracket for the EBS-valve with 56-718400.*

RAD-GR (4x2)**Air suspension**

Vehicle bracket kit:	56-717200
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

BZR

Fuel: **Electric**

Air suspension

Vehicle bracket kit:	56-772700
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
315/70-22,5" or larger.

How to read the vehicle specification:

LT	_____	Vehicle model, Axle configuration
LT 35	_____	Vehicle type
Leaf suspension	_____	Rear axle suspension
Chains		
12-chains		

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Crafter

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-719500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• From year model 2019	

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-717500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• From year model 2019	

4x2

**Air suspension: VB
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 225/70 R15" or larger.	
• 12 or 18-chain wheels should be used.	
• Applies up to and including year model 2018	

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 225/70 R15" or larger.	
• 12 or 18-chain wheels should be used.	
• Applies up to and including year model 2018	

4x2

**Air suspension: VB
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Applies up to and including year model 2018	

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Applies up to and including year model 2018	

4x4

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-247000
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Move spare wheel under floor behind the axle.	
• Applies up to and including year model 2018	

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

U10, U12, U13

4x2

Air suspension

Rear axle: ZF AV133 -90

Fuel: Electric

Vehicle bracket kit: 56-766500

Switch kit: use original

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
275/70 R22,5" or larger.

IC12e, T12e

4x2

Air suspension

Fuel: Electric

Vehicle bracket kit: 56-759700

Switch kit: use original

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/80 R22,5"

IC15e, T14e, T15e

6x2

Air suspension

Fuel: Electric

Vehicle bracket kit: 56-759700

Switch kit: use original

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/80 R22,5

Table of tyre dimensions

The table shows the tyre's height when the vehicle is unloaded.

Dim.	Tyre diameter	Dim.	Tyre diameter
15"		20"	
225/70 R 15	696 mm	12/80 R 20	1008 mm
205/80 R 15	708 mm	9.00-20	1012 mm
7,50 R 15	769 mm	9.00 R 20	1018 mm
8,25 R 15	836 mm	335/80 R20	1032 mm
16"		13/80 R 20	1048 mm
185/75 R 16	684 mm	10.00-20	1050 mm
215/65 R 16	686 mm	10.00 R 20	1052 mm
195/75 R 16	699 mm	11.00-20	1080 mm
235/65 R 16	712 mm	11.00 R 20	1082 mm
205/75 R16	714 mm	365/80 R20	1092 mm
215/75 R 16	730 mm	12.00-20	1120 mm
225/75 R 16	743 mm	12.00 R 20	1122 mm
7,00 R 16	787 mm	365/85 R20	1129 mm
7,50 R 16	805 mm	13.00-20	1170 mm
8,25 R 16	860 mm	13.00 R 20	1176 mm
17"		22,5"	
8,25 R 17	886 mm	9/70 R 22,5	892 mm
8,25 17	895 mm	10/70 R 22,5	928 mm
17,5"		295/60 R 22,5	928 mm
205/75 R 17,5	753 mm	255/70 R 22,5	930 mm
215/75 R 17,5	767 mm	8 R 22,5	936 mm
225/75 R 17,5	783 mm	305/60 R 22,5	946 mm
8 R 17,5	784 mm	275/70 R 22,5	958 mm
245/70 R 17,5	797 mm	315/60 R 22,5	958 mm
8,5 R 17,5	802 mm	11/70 R 22,5	962 mm
235/75 R 17,5	808 mm	9-22,5	970 mm
245/75 R 17,5	813 mm	9 R 22,5	970 mm
265/70 R 17,5	816 mm	295/70 R 22,5	986 mm
9 R 17,5	820 mm	265/80 R22,5	995 mm
9,5 R 17,5	842 mm	12/70 R 22,5	999 mm
19,5"		305/70 R 22,5	1000 mm
245/70 R19,5	839 mm	275/80 R 22,5	1012 mm
245/75 R 19,5	862 mm	315/70 R 22,5	1014 mm
255/70 R 19,5	853 mm	10-22,5	1020 mm
8 R 19,5	856 mm	10 R 22,5	1020 mm
8,5 R 19,5	856 mm	13/70 R 22,5	1033 mm
265/70 R 19,5	867 mm	295/80 R 22,5	1044 mm
9 R 19,5	894 mm	315/75 R 22,5	1044 mm
9,5 R 19,5	894 mm	12/80 R 22,5	1046 mm
285/70 R 19,5	895 mm	11 R 22,5	1050 mm
305/70 R 19,5	923 mm	11-22,5	1054 mm
315/70 R 19,5	937 mm	315/80 R 22,5	1076 mm
		12-22,5	1084 mm
		12 R 22,5	1084 mm
		13 R 22,5	1124 mm

Spare parts Onspot 016



56-700601 Onspot unit, complete
(stamped no. 56-330200)



56-700600 Onspot unit, complete
(stamped no. 56-330100)




56-700700 Stopper, standard
(stamped no. 56-331200)

56-700701 Stopper, standard
(stamped no. 56-331300)



56-700702 Stopper
(stamped no. 56-332700)

56-700703 Stopper
(stamped no. 56-332800)



56-241200 Hitching kit



56-701000 Onspot 016 chain, arm axle kit

Spare parts Onspot 012



56-320601 Stopper
(stamped no. 56-318803)

56-320602 Stopper
(stamped no. 56-318804)




56-320900 Hose holder



56-320603 Stopper
(stamped no. 56-318807)

56-320604 Stopper
(stamped no. 56-318808)



56-241200 Hitching kit



56-324300 Onspot 012 chain, arm axle kit

Spare parts Onspot 012, 016



- 56-360100 Arm incl. mounting components (stamped no. 56-350100)
- 56-361500 Arm incl. mounting components (stamped no. 56-351500)
- 56-360300 Arm incl. mounting components (stamped no. 56-350300)
- 56-360500 Arm incl. mounting components (stamped no. 56-350500)
- 56-361100 Arm incl. mounting components (stamped no. 56-351100)
- 56-360700 Arm incl. mounting components (stamped no. 56-350700)
- 56-360900 Arm incl. mounting components (stamped no. 56-350900)
- 56-361300 Arm incl. mounting components (stamped no. 56-351300)
- 56-361700 Arm incl. mounting components (stamped no. 56-351700)



- 56-360200 Arm incl. mounting components (stamped no. 56-350200)
- 56-361600 Arm incl. mounting components (stamped no. 56-351600)
- 56-360400 Arm incl. mounting components (stamped no. 56-350400)
- 56-360600 Arm incl. mounting components (stamped no. 56-350600)
- 56-361200 Arm incl. mounting components (stamped no. 56-351200)
- 56-360800 Arm incl. mounting components (stamped no. 56-350800)
- 56-361000 Arm incl. mounting components (stamped no. 56-351000)
- 56-361400 Arm incl. mounting components (stamped no. 56-351400)
- 56-361800 Arm incl. mounting components (stamped no. 56-351800)



- 56-321003 Arm incl. mounting components (stamped no. 56-321101)
- 56-321023 Arm incl. mounting components (stamped no. 56-322201)
- 56-321019 Arm incl. mounting components (stamped no. 56-321901)
- 56-321025 Arm incl. mounting components (stamped no. 56-322301)
- 56-324009 Arm incl. mounting components (stamped no. 56-323101)
- 56-321034 Arm incl. mounting components (stamped no. 56-323501)



- 56-321004 Arm incl. mounting components (stamped no. 56-321102)
- 56-321024 Arm incl. mounting components (stamped no. 56-322202)
- 56-321020 Arm incl. mounting components (stamped no. 56-321902)
- 56-321026 Arm incl. mounting components (stamped no. 56-322302)
- 56-324010 Arm incl. mounting components (stamped no. 56-323102)
- 56-321035 Arm incl. mounting components (stamped no. 56-323502)

Arms



56-321009 Arm incl. mounting components (stamped no. 56-321401)

56-321011 Arm incl. mounting components (stamped no. 56-321501)

56-321029 Arm incl. mounting components (stamped no. 56-322501)

56-324007 Arm incl. mounting components (stamped no. 56-323001)

56-321038 Arm incl. mounting components (stamped no. 56-340001)

56-321039 Arm incl. mounting components (stamped no. 56-340002)




56-321013 Arm incl. mounting components (stamped no. 56-321600)



56-321031 Arm incl. mounting component (stamped no. 56-321601)



56-321021 Arm incl. mounting components (stamped no. 56-322101)



56-320700 Mounting components, arm



56-321010 Arm incl. mounting components (stamped no. 56-321402)

56-321012 Arm incl. mounting components (stamped no. 56-321502)

56-321030 Arm incl. mounting components (stamped no. 56-322502)

56-324008 Arm incl. mounting components (stamped no. 56-323002)



56-321032 Arm incl. mounting components (stamped no. 56-323301)



56-321022 Arm incl. mounting components (stamped no. 56-322102)



56-321033 Arm incl. mounting components (stamped no. 56-323302)


Spare parts Onspot 012, 016



- 56-320101 Valve kit 24V, complete
- 56-320102 Valve kit 12V, complete
- 56-320104 Valve kit ADR, complete



56-329000 T-joint



56-329200 T-joint (MB)



56-329100 Plastic hose 20 m

Onspot 016




56-701100 Nipple kit, 4 nipples



56-701200 Throttle valve



56-711300 Check valve kit



56-714700 Indicator light kit

Onspot 012



56-320800 Nipple set, cylinder 4 nipples

Switches



56-241002	IVECO: <i>Tector, Eurotech, Eurostar, Trakker, Stralis, Eurocargo 4x2 (to 2007)</i>
56-241003	MAN: <i>TGA, TGL, TGM</i>
56-241004	MB: <i>Actros MP2, MP3</i>
56-241005	MB: <i>Vario, Econic, Actros, Atego, Atego 2, Atego S, Axor, Axor II</i> UNIMOG: <i>U300, U400, U500</i>
56-241006	VOLVO: <i>FL 6L, FL 6E, FM, FH (to 2012)</i>
56-241007	SCANIA: <i>4-series, Buses</i>
56-241008	DAF: <i>LF45, CF55, CF65, CF75, CF85, 95XF, XF95, XF105</i>
56-241009	SCANIA: <i>P, G, R, T-series Generation ≤ 5</i>
56-241010	RENAULT: <i>Midlum DXI, Premium DXI, Magnum DXI, Kerax DXI</i> VOLVO: <i>FL, FE</i> SISU: <i>6x4/8x4/10x4 Leaf suspension</i>
56-241011	DAF: <i>65CF, 75CF, 85CF</i>
56-241012	FORD: <i>T 350, T 430</i> IVECO: <i>Daily</i> RENAULT: <i>Mascott DXI 160</i> MB: <i>Sprinter 3xx, Sprinter 5xx</i> VW: <i>Crafter 30, Crafter 50</i>
56-241013	HINO: <i>Profia</i> MAN: <i>L2000, M2000L, M2000M, F2000, E2000</i> MITSUBISHI: <i>Super Great</i> NISSAN: <i>BIG Thumb</i> ISUZU: <i>Gigamax</i> VOLVO: <i>Buses</i>
56-241014	IVECO: <i>Eurocargo 4x4</i>
56-241015	MAN: <i>TGS, TGX</i>
56-241016	MB: <i>Sprinter 311-316 (1998-2006)</i> VW: <i>LT 35 (1998-2006)</i>
56-241017	NISSAN: <i>Atleon</i>
56-241018	IVECO: <i>Eurocargo 4x2 (from 2008)</i>
56-241019	MB: <i>Actros MP4, Antos</i>
56-241020	VOLVO: <i>FH (from 2013)</i>
56-241021	VOLVO: <i>Buses B11, B13</i>
56-241022	DAF: <i>XF Euro 6, CF Euro 6 (to 2016)</i>

56-241023	VDL: <i>Futura</i>
56-241024	Renault: <i>K, C (cab 2.5m)</i>
56-241025	Renault: <i>D</i>
56-710700	Scania: <i>P, G, R, T, S-series Generation 6</i>
56-727500	DAF: <i>XF Euro 6, CF Euro 6 (from 2017)</i>
56-739000	MAN: <i>TG3</i>

Spare parts Onspot



Wheel kit, incl. wheel bearings

56-726000	6-chains, Wheel 190
56-236503	6-chains, Wheel 170
56-726100	6-chains sparkle resistant, Wheel 190
56-236507	6-chains sparkle resistant, Wheel 170
56-726200	12-chains, Wheel 190
56-236506	12-chains, Wheel 170
56-726300	12-chains, long, Wheel 190
56-726400	18-chains, Wheel 190
56-236509	18-chains, Wheel 170



Wheel, incl. wheel bearings

56-725000	6-chains, Wheel 190
56-236400	6-chains, Wheel 170
56-725100	6-chains sparkle resistant, Wheel 190
56-236411	6-chains sparkle resistant, Wheel 170
56-725200	12-chains, Wheel 190
56-236412	12-chains, Wheel 170
56-725300	12-chains, long, Wheel 190
56-725400	18-chains, Wheel 190
56-236418	18-chains, Wheel 170



Chain plate

56-246601	Chain plate, 6-chains, Wheel 190
56-246602	Chain plate, 6-chains, Wheel 170
56-246603	Chain plate, 6-chains sparkle resistant, Wheel 190
56-246604	Chain plate, 6-chains sparkle resistant, Wheel 170
56-246605	Chain plate, 12-chains, Wheel 190
56-246606	Chain plate, 12-chains, Wheel 170
56-246607	Chain plate, 12-chains long, Wheel 190
56-246608	Chain plate, 18-chains, Wheel 190
56-246609	Chain plate, 18-chains, Wheel 170



56-241300	Wheel mounting kit, adjustable 120 mm, standard 1x Wheel bolt, 4x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206000	Wheel mounting kit, adjustable 100 mm, standard 1x Wheel bolt, 2x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206700	Wheel mounting kit, adjustable 80 mm, for low profiles 1x Wheel bolt, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	---



56-740400	Kickback guard kit
-----------	---------------------------



56-241100	Kickback guard kit
-----------	---------------------------



56-237300	Wheel bearing kit 2x Bearings 1x Retaining ring
-----------	--




56-728000	Ball-bearing kit wheel 190
-----------	--------------------------------------



56-734600	Wheel plate kit wheel190
-----------	------------------------------------



56-727000	Rubber wheel 190
-----------	----------------------------



56-246402	Wheel disc wheel 170
-----------	--------------------------------



56-246500	Bolt kit Onspot wheel
-----------	------------------------------

Cylinders, Cylinder brackets


Spare parts Onspot 03, 04

Cylinders


If the cylinder housing is damaged, the entire cylinder must be replaced with a completely new cylinder.

All Onspots now use the short cylinder variant. Older long cylinders can easily be replaced with short cylinders. The length of the adjusting screw identifies the type of cylinder you have (see diagram).


There are three different lengths of adjusting screw; measure the adjustment screw and use the table to find which cylinder you have.



Length (mm)	Complete cylinder
55	56-254603
115	56-254601
165	56-254602



Membrane kit




Angular toggle joint

- 56-231100 Membrane kit
 1 x Membrane
 1 x Cover
 2 x lamps
 2 x lamps
 2 x Nuts

- 56-251700 Angular toggle joint

- 56-207100 Cylinder disassembly tool



Cylinder disassembly tool

Great care should be taken whenever you do work on or replace parts in the cylinder.

Air cylinders have substantial inherent spring power.

Therefore you should always use the cylinder disassembly tool when undertaking these procedures.

Cylinder brackets



- 56-188600 Cylinder bracket, left
 56-188500 Cylinder bracket, right



- 56-063712 Cylinder bracket, left
 56-063711 Cylinder bracket, right

Spare parts Onspot 03, 04

Arms with bearing cups

Onspot can be fitted in two ways – in front of, or behind, the drive shaft. Identify which type of fitting you have by looking at figs. 1 and 2. The captions explain which arm type is used for each fitting.




Fig. 1, forward mounting





Fig. 2, rear mounting




Arm type left 56-155002
 Arm type right 56-155001

Arm type left 56-155010
 Arm type right 56-155009

Arm type left 56-155008
 Arm type right 56-155007

Arm type left 56-165202
 Arm type right 56-165201

Arm type left 56-203100
 Arm type right 56-203000




Arm type left 56-188800
 Arm type right 56-188700



56-191300 Bearing cups
 2 x Bearing cups
 1 x Grease
 1 x Locking compound

Spare parts Onspot 03, 04



- | | | |
|---|-----------|---|
| 1 | 56-227900 | Valve nipple kit, incl.: |
| | 2 x | Insertion nipples |
| | 2 x | Screws |
| | 1 x | Plug |
| 2 | 56-208600 | Distribution block repair kit incl.: |
| | 1 x | Distribution block |
| | 1 x | Plug |
| | 2 x | Hose nipple |
| | 1 x | Insertion nipple |
| | 2 x | Hose clamps |
| | 2 x | Bolts M6x35 |
| | 2 x | Nuts M6 |
| 3 | 56-228000 | Cylinder nipple kit, incl.: |
| | 2 x | Hole bolts |
| | 2 x | Banjo nipples |
| | 4 x | Grommets |
| | 2 x | Hose clamps |
| 4 | 37-130200 | Mercedes Symbol plate |
| | 37-131500 | DAF, Iveco,
MAN L2000, Volvo B10,
Universal Symbol plates |
| | 37-132300 | Volvo, Symbol plate |
| 5 | 29-020000 | MAN solenoid valve |
| | 29-019900 | MAN connection cable |
| | 29-021900 | Solenoid valve incl. cable
head, other vehicle models |
| 6 | | Plastic pipe 8x1 L= 6m |
| 7 | | Rubber hose Ø 8mm
L= 4m, min 15 Bar |

* On some models. See the mounting instructions for each vehicle bracket.

** The installation of circuit breakers and connection to the air system are services provided by vehicle dealers.

Spare parts air compressor kit 12V



56-255300 Spare part kit Compressor
1 x Compressor



56-245700 Spare part kit Tank belt
2 x Tank belt



56-245500 Spare part kit Air tank
1 x Air tank



56-245400 Spare part kit fitting
(Compressor 56-245200)
1 x Fitting 90° 1/8"
1 x 1/8" Check valve
1 x Fitting 1/4"-1/8"
3 x Rubber foot
3 x Nuts M4
1 x T-joint 1/8"NPT



56-721000 Spare part kit
Valve console
1 x Valve console



56-721500 Spare part kit Compressor
1 x Compressor



56-715800 Spare part kit Filter
1 x Filter




56-721200 Spare part kit
Air fitting and hoses
1 x Air fitting and hoses



56-720000 Spare part kit
check valve
1 x Check valve




56-720100 Spare part kit
drain with ring
1 x Drain with ring



56-257400 Spare part kit
micro switch
1 x Micro switch



56-721400 Spare part kit fitting
2 x Fitting Ø6
2 x Fitting M22x1,5
1 x Plug M22x1,5



56-721100 Spare part kit
Valve block
1 x Valve block
2 x Screw
2 x Nut
4x Washers



56-721300 Spare part kit
Rubber bushings
3 x Rubber bushings
3 x Brass insert
6 x Washer
3 x Nut M5
3 x Screw



56-257200 Power manometer

Connect the Power manometer together with the compressor kit to show the current air pressure in the Onspot system. A valve is fitted on the Power manometer bracket in order to fill with air or connect compressed air when parking so that the system always has the correct working pressure. There is also a recess to install the Onspot button.



56-704100 1 x Automatic drain valve kit for air tank

